



Pluto LNG Annual Compliance Report 2023

Ministerial Statement 757 as amended by Ministerial Statements 850 and 1208

Production Environment

28 March 2024

Table of Contents

1.	INTRODUCTION	2
1.1	Structure of this Document.....	2
2.	MINISTERIAL CONDITIONS AND COMMENTS.....	3
	APPENDIX 1 – PLUTO LNG MANAGEMENT PLAN KEY ACTIONS.....	35
	APPENDIX 2 – PURCHASED AND RETIRED OFFSET PACKAGE – 2022 RESERVOIR EMISSIONS.....	44

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 1 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

1. INTRODUCTION

This Annual Compliance Report (ACR) is provided to the Department of Water and Environmental Regulation (DWER) for the Pluto Liquefied Natural Gas (LNG) Development as approved under Ministerial Statement 757 and amended by Ministerial Statements 850 and 1208. The ACR covers the reporting period from 1 January 2023 to 31 December 2023.

The Pluto LNG Plant processes hydrocarbon gas and liquids piped onshore from the offshore Pluto riser platform to produce LNG and condensate. Ministerial Statement 757 provides approval for the construction and operation of two LNG trains, with Train 1 currently in operation. In May 2021, DWER granted the Works Approval for the construction, commissioning and (time-limited) operation of a second LNG train (Pluto Train 2), Domgas Plant and common utilities and general facilities associated with the Premises. Site civil works associated with Pluto Train 2 commenced in June 2022 and construction is ongoing at the time of publishing this ACR. In progressing approvals associated with Pluto Train 2, Woodside revised several management plans, the status of which is provided in this report.

Licensed operation continued through the reporting period in accordance with DWER (EP Act Part V) Licence L8752/2013/2.

On 15 August 2023, Ministerial Statement 1208 was published following a review under Section 46 of the *Environmental Protection Act 1986* (WA). This statement changed implementation conditions of Statement 757, specifically that Condition 12 of the previous statement is deleted and replaced with the new Condition 12 outlined in Statement 1734. This ACR reports on the new Condition 12, as per the published statement which can be found here – [1734 Statement 1208 for publishing Pluto LNG Development.pdf \(epa.wa.gov.au\)](#)

1.1 Structure of this Document

Section 2 of the ACR is a table that sets out the status of the Ministerial Statement conditions during the reporting period. Appendix 1 describes the status of key actions contained within Environmental Management Plans. The ACR reports on commitments and actions applicable to the reporting period.

This document is provided in accordance with the requirements of the Annual Audit Program approved by the Department of Environment and Conservation (DEC), now DWER, on 30 June 2008.

AUDIT TABLE

Pluto LNG

Ministerial Statement 757 as amended by Ministerial Statements 850 and 1208 - Annual Compliance Report 2023

Key

C = Compliant

CLD = Closed

NR = Not relevant for this reporting period

2. MINISTERIAL CONDITIONS AND COMMENTS

TABLE 1

• Audit Code • Subject	• What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken	• Project phase • When action to be taken • Where it is to be taken	• To requirements of • On advice from *	Reporting period 1 January 2023 to 31 December 2023
757:M1.1 Proposal Implementation	<p>Action Implement the proposal as documented and described in Schedule 1 of this statement (Ministerial Statement 757) subject to the conditions and procedures of this statement.</p> <p>Objective To minimise environmental impact of the project.</p> <p>Evidence Confirmed in Pluto LNG Project Ministerial Statement 757 Compliance Report.</p>	Overall Ongoing	Minister for Environment	<p>C The proposal is being implemented as documented in Schedule 1. In May 2021, DWER granted the Works Approval for a wide range of infrastructure, including the construction, commissioning and (time-limited) operation of a second LNG train (Pluto Train 2), with site works for Pluto Train 2 commencing in June 2022.</p> <p>The plant was in licensed operation for the entire period under Licence L8752/2013/2.</p>
757:M2.1 Proponent Nomination and Contact Details	<p>Action The proponent for the time being nominated by the Minister for the Environment under sections 38(6) or 38(7) of the Environmental Protection Act 1986 (the Act) is responsible for the implementation of the proposal.</p> <p>Objective To ensure legal responsibility for the project rests with a nominated proponent.</p> <p>Evidence Confirmed in Pluto LNG Project Ministerial Statement 757 Compliance Report.</p>	Overall Ongoing	Minister for Environment	<p>C Woodside Energy Ltd remains responsible for implementation of Ministerial Statement 757 as nominated by the Minister for Environment.</p>
757:M2.2 Proponent Nomination and Contact Details	<p>Action Notify the Chief Executive Officer (CEO) of the DEC of any change of the name and address of the proponent for the serving of notices or other correspondence within 30 days of such change. How In the event of change in address, notify DEC within 30 days of change.</p> <p>Objective To ensure that the DEC is able to maintain contact with the proponent.</p> <p>Evidence Details of change of name/and or address.</p>	Overall Ongoing	Director general of DWER	<p>C No changes in the reporting period</p>
757:M3.1 Time Limit of Authorisation	<p>Action The proposal must be substantially commenced within five years of the date of publication of this statement.</p>	Overall Within five years	Minister for Environment	<p>CLD Construction commenced on 15 October 2007. Proposal has been substantially commenced, as demonstrated in Pluto LNG Project Ministerial Statement 757 - 2008 Annual Compliance Report (2008 ACR).</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 3 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>Objective To ensure that the project is implemented using the most recent information and technology available.</p> <p>Evidence Pluto LNG Project Ministerial Statement 757 Compliance Report.</p>			
757:M3.2 Time Limit of Authorisation	<p>Action Provide the CEO with written evidence which demonstrates that the proposal has substantially commenced on or before the expiration of five years from the date of this statement.</p> <p>Objective To ensure that the project is implemented using the most recent information and technology available.</p> <p>Evidence Confirmed in Pluto LNG Project Ministerial Statement 757 Compliance Report.</p>	Overall Within five years	Minister for Environment	CLD Pluto LNG Project Ministerial Statement 757 - 2008 ACR provided evidence which demonstrated the substantial commencement of the Project.
757:M4.1 Compliance Reporting	<p>Action Submit to the CEO an annual environmental compliance report relating to the previous twelve-month period, the first report to be submitted within 15 months after the commencement of operations and thereafter annually, unless required by the CEO to report more frequently.</p> <p>Objective To provide evidence that the proposal is being implemented as approved, and the relevant conditions and commitments are being met.</p> <p>Evidence Pluto LNG Project Ministerial Statement 757 Compliance Report to be submitted for the period of 15 October 2012 to end 31 December 2013 (and then calendar years). Content to include the "Evidence" listed in this audit table against each Ministerial Condition plus internal audit results. Report to be submitted by 31 March each year.</p>	Overall Annually Reported	Director general of DWER	C This ACR fulfils this requirement for the period of reporting.
757:M4.2 Compliance Reporting	<p>Action The environmental compliance reports shall address each element of an audit program approved by the CEO and shall be prepared and submitted in a format acceptable to the CEO.</p> <p>Objective To provide evidence that the proposal is being implemented as approved, and the relevant conditions and commitments are being met.</p> <p>Evidence Audit Program.</p>	Overall	Director general of DWER	C Pluto LNG Project Annual Audit Program was submitted to DEC for comment on 28 May 2008. DEC approved the audit program on 30 June 2008. This ACR follows the approved format.
757:M4.3 Compliance Reporting	<p>Action The environmental compliance reports shall: 1. be endorsed by signature of the proponent's Managing Director or a person, approved in writing by the CEO, delegated to sign</p>	Overall	DWER Compliance	C This ACR fulfils the requirements of 757:M4.3

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>on behalf of the proponent's Managing Director; 2. state whether the proponent has complied with each condition and procedure contained in this statement; 3. provide verifiable evidence of compliance with each condition and procedure contained in this statement; 4. state whether the proponent has complied with each key action contained in any environmental management plan or program required by this statement; 5. provide verifiable evidence of conformance with each key action contained in any environmental management plan or program required by this statement; 6. identify all non-compliances and non-conformances and describe the corrective and preventative actions taken in relation to each non-compliance or non-conformance; 7. review the effectiveness of all corrective and preventative actions taken; and 8. describe the state of implementation of the proposal.</p> <p>Objective To demonstrate compliance with Ministerial Conditions.</p> <p>Evidence See condition M4.1.</p>			
757:M4.4 Compliance Reporting	<p>Action Make the environmental compliance reports required by Condition 4-1 publicly available in a manner approved by the CEO.</p> <p>How Environmental compliance reports to be made available in accordance with the Office of the Environmental Protection Authority (OEPA) Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012.</p> <p>Objective To ensure the public is kept informed.</p> <p>Evidence Report available on the Woodside website or upon request.</p>	Overall Annually	DWER Compliance	<p>C Pluto ACR's from 2008 to 2022 are publicly available on the Woodside website: https://www.woodside.com.au/our-business/pluto-lng/pluto-lng-environmental-compliance-reporting</p> <p>This 2023 ACR will be published on the Woodside website following submission to DWER.</p>
757:M5.1 Performance Review	<p>Action Submit a Performance Review report, every five years after the start of operations to the Environmental Protection Authority, which addresses: 1. the major environmental issues associated with implementing the project; the environmental objectives for those issues; the methodologies used to achieve these; and the key indicators of environmental performance measured against those objectives; 2. the level of progress in the achievement of sound environmental performance, including industry benchmarking, and the use of best available technology where practicable; 3. significant improvements gained in environmental management, including the use of</p>	Operation Every five years	DWER Compliance	<p>C The first Performance Review Report for the Pluto LNG Project was provided to the OEPA on 14 January 2013 for the 2007- October 2012 five-year period.</p> <p>The second Performance Review Report for the Pluto LNG Project was submitted to DWER on 28 December 2017 for the November 2012 - October 2017 five-year period.</p> <p>The third Performance Review Report for the Pluto LNG Project was submitted to DWER on 31 March 2023 for the November 2017 – December 2022 five-year period.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>external peer reviews; 4. stakeholder and community consultation about environmental performance and the outcomes of that consultation, including a report of any on-going concerns being expressed; and 5. the proposed environmental objectives over the next five years, including improvements in technology and management processes.</p> <p>How 5-yearly report will be submitted following commencement of operations.</p> <p>Objective To demonstrate compliance with Ministerial Conditions.</p> <p>Evidence Submit five-yearly Performance Review report to the EPA.</p>			
757:M5.2 Performance Review	<p>Action Make the Performance Review reports required by Condition 5-1 publicly available in a manner approved by the CEO.</p> <p>How Performance Review Reports to be made available in accordance with OEPA Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012.</p> <p>Objective To ensure the public is kept informed.</p> <p>Evidence Report available on the Woodside website or upon request.</p>	Operation Every 5 years	DWER Compliance	<p>C The Performance Review Reports were made publicly available following acceptance by the Office of the Environmental Protection Authority. The reports are available on the Woodside website: https://www.woodside.com.au/our-business/pluto-lng/pluto-lng-environmental-compliance-reporting</p>
757:M6.1 Marine Impacts	<p>Action Undertake all works to ensure that the Limits of Coral Loss, specified in Schedule 2 (of Ministerial Statement 757), associated with each of the designated Impact Criteria Zones described and defined in figure 3, are not exceeded.</p> <p>How - Implement Best Environmental Practice (BEP) techniques; - Implement the Dredging and Spoil Disposal Management Plan (DSDMP) specified Water Quality Monitoring Program to identify any decline in water quality and allow contingency management actions to be applied; - Implement the DSDMP specified Coral Health Monitoring Program to identify any net coral mortality and allow contingency management actions to be applied.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Ongoing provision of Water Quality Reports and Coral Health Reports to the Pluto</p>	Construction During Construction	Minister for Environment	<p>CLD This condition was met during the 2010 reporting period and no further action is required.</p> <p>Dredging was completed on 21 May 2010.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>Dredge Environmental Management Group on a timely basis for review and overview of status. Results of the above captured in Dredging Environmental Management Group (DEMG) minutes; Compliance reports to the DEC Compliance Monitoring Section if Level 1, 2 or 3 trigger levels are exceeded.</p>			
757:M6.2 Compliance Reporting	<p>Action If any Level 1 Coral Condition Management Trigger Criterion referred to in Schedule 3 is exceeded, within 12 hours following detection of the exceedance, notify the CEO and provide details of the actions being taken to reduce turbidity generating activities which are affecting that site; and within 24 hours of the criterion being exceeded, implement management actions to keep impacts within approved limits specified in schedule 2.</p> <p>How Management actions taken are dependent on circumstances (dredge location, meteorological conditions, tide etc.). Appropriate contingency actions will be selected from those specified in the DSDMP in consultation with the DEMG.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Compliance reports to the DEC CEO in the event of a Schedule 3 exceedance; DEMG minutes outlining actions taken and assessment of adequacy.</p>	Construction	Director general of DWER	<p>CLD This condition was met during the 2010 reporting period and no further action is required.</p>
757:M6.3 Compliance Reporting	<p>Action If any Level 2 Coral Condition Management Trigger Criterion referred to in schedule 3 is exceeded at any monitoring site,; 1. Immediately suspend all dredging and dredge spoil activities that contributed to the exceedance; 2. Provide a report to the CEO on the measures to be implemented to keep impacts below the limits in schedule 2, prior to recommencing any dredging and dredge spoil activities that contributed to the exceedance which could affect that site; and 3. Provide a report, on advice of the Dredge Environmental Management Group, defining marine water quality conditions which will be met for the endorsement of the Minister for the Environment on advice of the CEO to allow for the recommencement of dredging ensuring that mortality and / or impacts will not exceed the limits specified in schedule 2.</p>	Construction	Director general of DWER	<p>CLD This condition was met during the 2010 reporting period and no further action is required.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>How The Coral Health Monitoring Program will be maintained with the results made immediately available to the Dredging Environmental Coordinator and Dredging Senior Environmental Advisor. Should an exceedance be identified, the process specified by MC6-3 will be implemented.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Notification reports to the CEO in the event of a Schedule 3 exceedance; Investigation reports analysing the exceedance; Reports required by 2 and 3 of MSt: 6.3.</p>			
757:M6.4 Compliance Reporting	<p>Action If any Level 3 Coral Condition Management Trigger Criterion referred to in schedule 3 is exceeded at any monitoring site, 1. Immediately suspend all dredging and dredge spoil activities that contributed to the exceedance; and 2. Provide a report to the Minister for the Environment regarding the non-compliance with condition 6-1.</p> <p>How As per Ministerial Condition 6.3 above.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Investigation reports analysing the exceedance. Compliance reports to the Minister for the Environment regarding the Schedule 3 exceedance.</p>	Construction	Minister for Environment	<p>CLD This condition was met during the 2010 reporting period and no further action is required.</p>
757:M6.5 Marine Impacts	<p>Action Prior to commencement of turbidity-generating activities, prepare a Dredge Impact Management Plan for dredge activities which demonstrates that the activities can achieve the management targets for the Marine Park as set out in the Indicative Management Plan for the Proposed Dampier Archipelago Marine Park and Cape Preston Marine Management Area, and which demonstrates that management strategies will be employed which will minimise impacts on benthic habitats and communities (including corals) outside the Marine Park, to the requirements of the Minister on advice of the Environmental Protection Authority. Further details on the content required in this Plan are provided in schedule 4.</p> <p>How Dredge and Spoil Disposal Management Plan (DSDMP) (DIMP) developed in consultation</p>	Design	Minister for Environment EPA	<p>CLD DSDMP was approved by DEC on 20 March 2008 (DEC ref: 4610).</p> <p>The DSDMP was revised in August 2009 (Revision 9) to incorporate minor operational changes to the Water Quality Exceedance Investigation Protocol approved by DEC on 10 August 2009. The DSDMP was re-submitted to DEC with these approved changes incorporated on 25 November 2009 (Woodside ref: PLU/GOV/00422).</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>with key stakeholders (including DEC, DPA, DoF). Address the following: 1. comprehensive monitoring of water quality, sediment deposition, and coral condition; 2. best practice dredge procedures; 3. selection of a suitable location for the off-shore spoil ground which demonstrably does not cause impacts on the Marine Park; 4. optimum timing of works with respect to sea and meteorological conditions; 5. establishment of conservative 'stop work' trigger levels; 6. identification and temporal definition of key ecological windows when dredging activity will not occur, such as during coral spawning periods; and 7. contingency plans. Further details on the content required in this Plan are provided in schedule 4.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Dredge Impact Management Plan.</p>			
757:M6.6 Marine Impacts	<p>Action Implement the Dredge Impact Management Plan required by Condition 6-5.</p> <p>How Communicate Legal and Other Requirements to responsible parties (training); Implement an internal audit program involving six monthly audits and Verification Plans for application/review of contractors.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Internal audit schedule, audit criteria, and evidence of completion. DEMG minutes.</p>	Construction	Minister for Environment	<p>CLD This condition was met during the 2010 reporting period and no further action is required.</p>
757:M6.7 Marine Impacts	<p>Action Make the Dredge Impact Management Plan required by condition 6-5 publicly available in a manner approved by the CEO.</p> <p>How Dredge Impact Management Plan to be made available in the following locations: - the Local Government Authority (2 copies), Battye Library (2 copies); Karratha Public Library (2 copies); and DEC Library Perth (2 copies - 1 hard copy, 1 cd copy) - Copies also to be freely available for download from the Woodside internet site, (availability and locations of the Dredge Impact Management Plan are to be advertised in the Local newspaper Public Notices).</p> <p>Objective To ensure that the public is kept informed.</p>	Construction	Director general of DWER	<p>CLD This condition was met during the 2008 reporting period. Since dredging and the dredge monitoring programme are now complete, the DSDMP has been removed from the Woodside website.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>Evidence Evidence of advertisement of Dredge Impact Management Plan.</p>			
<p>757:M6.8 Marine Impacts</p>	<p>Action Resource a DEMG for the duration of the marine works and for such time before and after the marine works so as to carry out its function, to the requirements of the Minister for the Environment.</p> <p>How The role of the DEMG is to provide the Minister for the Environment, the Department of Environment and Conservation and the proponent with advice including, but not limited to: 1. the marine management plans; 2. the marine monitoring programs; 3. the management of turbidity-generating activities and marine works; 4. impacts on marine fauna and flora, including corals; 5. reporting; 6. new management measures and 7. Level 1 and 2 Coral Condition Management Trigger Criteria for Zone C as required in Schedule 3. The membership of the Dredge Environmental Management Group may include: an independent chair appointed by the Minister for the Environment on advice from the CEO, and experts appointed by the Minister for the Environment, and the following may nominate one member each; the Department of Fisheries; the Dampier Port Authority; the Department of Environment and Conservation; and the proponent.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Letters of appointment for the DEMG Chair and members from the Minister for the Environment. DEMG minutes.</p>	<p>Overall For the duration of the Marine Works and for such time before and after the marine works so as to carry out its function.</p>	<p>Minister for Environment</p>	<p>CLD The final DEMG Meeting was held on 12 May 2010. Following this a DEMG Conclusion and Recommendations Workshop was held on 31 August 2010. The intention of this workshop was for DEMG members to summarise valuable information and experience gained during the Pluto dredging program. A final DEMG dredging report and recommendations has been provided to the OEPA.</p> <p>The Minister for Environment and Water acknowledged that the DEMG has completed its function.</p>
<p>757:M6.9 Marine Impacts</p>	<p>Action Prepare and submit to the Department of Environment and Conservation, a scope of Baseline Marine Habitat Survey document to the requirements of the Minister for the Environment. The objective of this document is to specify procedures to quantitatively determine the pre-development baseline distribution, community composition and health of benthic marine habitats (see note below) within the area which may be affected by any works associated with the proposal. Note: "Marine habitats" includes hard and soft coral communities, sponge communities, seagrass and macro-algal communities.</p> <p>How Address the following: 1. survey methods; 2. location and establishment of survey sites; 3.</p>	<p>Design Prior to commencement of marine works</p>	<p>Minister for Environment Director general of DWER</p>	<p>CLD This condition was met during the 2008 reporting period and no further action is required.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>timing and frequency of surveys; 4. habitat classification schemes; 5. treatment of survey data; and 6. mapping methodologies.</p> <p>Objective To determine the baseline distribution, community composition and health of benthic marine habitats within the area.</p> <p>Evidence DEC approval/endorsement of the Scope of Baseline Marine Habitat Survey document.</p>			
757:M6.10 Compliance Reporting	<p>Action Provide an initial report on a detailed survey of coral habitat and communities, and a map showing the general distribution of other benthic habitat types (including soft corals, sponges, algal reef communities) within and adjacent to the area of predicted effects of dredging to the Department of Environment and Conservation at least one month prior to the commencement of dredging.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Initial report on detailed survey of coral habitat and communities and map showing general distribution of other benthic habitat types.</p>	Design One month prior to dredging construction	Director general of DWER	CLD This condition was met during the 2008 reporting period and no further action is required.
757:M6.11 Compliance Reporting	<p>Action Conduct a comprehensive field survey, consistent with the approved Scope of Baseline Marine Habitat Survey document and provide a report of the results to the Department of Environment and Conservation within twelve months following commencement of any marine works associated with the proposal.</p> <p>How This report shall 1. contain spatially accurate (e.g. rectified and geographically referenced) maps showing the locations and spatial extent of the different marine habitat types and percentage cover of each component of their associated benthic communities including corals, macro algae, non-coral macro-invertebrates and seagrass; 2. record the existing hard and soft corals, macro-algae, non-coral benthic macro invertebrates, seagrass and demersal fish observed within the communities; 3. record the population structure, as size class frequency distributions, and other population statistics, such as recruitment, survival and growth, of key hard coral species; 4. evaluate baseline pre-</p>	Construction Within 12 months of commencement of dredging works	Director general of DWER	CLD The final report to address specific requirements of Condition 6-11 was submitted to DEC on 21 November 2008 (WBPL ref: PLU/GOV/00154). DEC acknowledged receipt of the report on 25 November 2008 (DEC reference: DEC0652-04).

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 11 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>development health of the benthic communities at representative survey sites; and 5. include data provided in an appropriate GIS data set format.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence Report on the results of the comprehensive field survey that is consistent with the Scope of Baseline Marine Habitat Survey document.</p>			
757 as amended by 850:M6.12 Compliance Reporting	<p>Action Within three months following completion of the marine works, repeat evaluation of the health of benthic communities, at the representative survey sites established by conditions 6-11(4) and 6-11(5), to the requirements of the OEPA.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence See M6.14.</p>	Post-construction Within three months of dredging completion	Director general of DWER	<p>CLD Marine works were completed in mid-July 2010 and post benthic habitat surveys commenced in mid-October 2010.</p>
757 as amended by 850:M6.13 Marine Impacts	<p>Action Repeat the survey required by condition 6-12, at the same time of the year annually for three years, or for a lesser number of years as determined by the CEO of the OEPA, on advice of the Department of Environment and Conservation and the Department of Fisheries.</p> <p>How A Post-Dredging Marine Habitat Survey shall be undertaken in accordance with the approved Scope of Baseline Habitat Survey.</p> <p>Objective To minimise impact of dredging on the marine environment.</p> <p>Evidence See M6.14.</p>	Post-construction At the same time of the year annually for three years, or until such time as determined by the Minister for Environment	Minister for Environment	<p>CLD Marine works were completed in mid-July 2010 and post benthic habitat surveys commenced in mid-October 2010.</p> <p>The findings of the post benthic habitat surveys show no pattern of change consistent with a dredging impact.</p> <p>Based on the post benthic habitat survey results and comprehensive monitoring program during the marine works, advice from the DEC, Department of Fisheries and OEPA is that further post dredging surveys under Condition 6-13 are no longer required.</p> <p>The General Manager of the OEPA has acknowledged that this condition has been met and future surveys are no longer required; correspondence received 8 September 2011 (OEPA2011/000104).</p>
757 as amended by 850:M6.14 Compliance Reporting	<p>Action Within three months following completion of each of the surveys required by conditions 6-12 and 6-13, the proponent shall report the findings of each of the surveys to the OEPA and the Department of Environment and Conservation.</p> <p>Objective To report progress of subsequent surveys.</p> <p>Evidence 1) Findings of Post-Dredging Benthic Marine Habitat Survey initially at least 3 months following completion of marine works, then 2) Within three months following completion of each of the surveys required under condition 6-13.</p>	Post-construction Within three months of dredging completion and annually for a following three years	Director general of DWER	<p>CLD The post benthic habitat survey results were submitted to DEC, Department of Fisheries and the OEPA as required by this condition.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
757:M7.1 Deepwater Marine Outfall	<p>Action If a marine waste water discharge is required by the proponent, the proponent shall construct the associated infrastructure so that waste water is discharged into water of depth greater than 30 meters outside the Dampier Archipelago, unless otherwise determined by the CEO under Part V of the Act.</p> <p>How A Marine Treated Waste Water Discharge Management Plan will be developed and the appropriate infrastructure constructed to accommodate waste water discharge.</p> <p>Objective To minimise the environmental impact associated with waste water discharge.</p> <p>Evidence DEC Works Approval - if Marine waste water discharge is required, evidence that waste water discharge structure is discharging into water of depth greater than 30 metres.</p>	Overall	Minister for Environment	<p>CLD Works Approval W4466/2008/1 for the Pluto LNG Project effluent treatment plant was issued on 3 September 2009 which provides approval to Woodside to construct the effluent treatment plant and a tie-in from this facility to the Water Corporation's Multi-User Brine Reuse Line (MUBRL) for the purpose of disposing of water. The construction of the effluent treatment plant and the tie-in to the MUBRL is complete.</p> <p>Commissioning of the effluent treatment plant was carried out in the 2011-2012 reporting period with discharges to the MUBRL managed in line with the approved Marine Treated Waste Water Discharge Management Plan (MTWDMP) (Refer 757:M7.2) and effluent treatment commissioning plans approved under Works Approval W4466/2008/1.</p> <p>A construction compliance document was issued to DEC on 21 March 2011 in line with Works Approval W4466/2008/1 and DEC provided a compliance statement on 1 April 2011.</p> <p>The effluent treatment plant is Licensed under the Environmental Protection Act 1986, Part V Operating Licence L8752/2013/1 from 1 August 2013. Management of marine discharges continues in line with the framework outlined in the MTWDMP (Refer to 757:M7.2)</p>
757:M7.2 Deepwater Marine Outfall	<p>Action Prior to construction of the waste water treatment plant or the marine outfall, whichever is the sooner, the proponent, in consultation with the Department of Environment and Conservation, shall prepare a Marine Treated Waste Water Discharge Management Plan to the requirements of the Minister for the Environment on advice of the Environmental Protection Authority.</p> <p>How Address the following: 1. determination of the effect of waste water flow rate on the number of dilutions the diffuser is predicted to achieve within the zone of initial dilution at maximum flow rate; 2. setting of environmental values, environmental quality objectives and levels of ecological protection to be achieved around the outfall; 3. identification of a range of feasible and practical management options and the environmental quality indicators and associated "trigger" levels for the implementation of remedial, management and/or preventative actions to protect the water quality and the marine environment based on the guidelines and recommended approaches in ANZECC/ARMCANZ (2000); 4. Whole Effluent Toxicity (WET) testing of waste water, consistent with ANZECC requirements, and addressing the items in schedule 5 (attached); 5. redesign and incorporation of a new diffuser, including timelines, in the event that the WET testing results show that the original waste water diffuser is not achieving sufficient dilutions to meet a high level of ecological protection at the edge of</p>	Design	Minister for Environment EPA, Director general of DWER	<p>CLD The Marine Treated Waste Water Discharge Management Plan was approved by the DEC on 18 March 2009 (DEC reference: DEC 4776).</p> <p>Woodside undertook an update to the MTWDMP during 2013/2014 (Revision 4) to incorporate minor amendments made based on operating experience (including testing results) during the commissioning and proving phase.</p> <p>Revision 4 of the plan was provided to the OEPA for information on 20 March 2014. Revision 4 remains in line with the management framework and revision process outlined in the approved Revision 3 of the plan, and DWER Operating Licence revisions L8752/2013/1 and L8752/2013/2.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>the mixing zone; 6. verification of diffuser performance in terms of achieving the required number of initial dilutions under low energy/calm meteorological and sea-state conditions to achieve a high level of ecosystem protection (99% species protection) at the edge of the approved mixing zone; 7. A monitoring program to permit determination of whether the water quality objectives are being met; and 8. Protocols and schedules for reporting performance against the Environmental Quality Objectives using the environmental quality trigger levels.</p> <p>Objective The objective of this Plan is to ensure that the discharge of treated waste water is managed to achieve simultaneously the following Environmental Quality Objectives as described in the document, Pilbara Coastal Water Quality Consultation Outcomes: Environmental Values and Environmental Quality Objectives (Department of Environment, March 2006): Maintenance of ecosystem integrity with spatially-assigned levels of protection; Maintenance of aquatic life for human consumption assigned to all parts of the marine environment surrounding the ocean outlet; Maintenance of primary contact recreation values assigned to all parts of the marine environment surrounding the ocean outlet; Maintenance of secondary contact recreation values assigned to all parts of the marine environment surrounding the ocean outlet; Maintenance of aesthetic values assigned to all parts of the marine environment surrounding the ocean outlet; Maintenance of cultural and spiritual values assigned to all parts of the marine environment surrounding the ocean outlet; and Maintenance of Industrial Water Supply.</p> <p>Evidence Marine Treated Waste Water Discharge Management Plan.</p>			
757:M7.3 Deepwater Marine Outfall	<p>Action Implement the Marine Treated Waste Water Discharge Management Plan (MTWDMP) required by condition 7-2.</p> <p>Objective To minimise environmental impacts and apply relevant technology to the project.</p> <p>Evidence Details in Appendix 1 of the ACR.</p>	Operation	Minister for DWER Compliance	<p>C Implementation continued under licensed operation during the reporting period in accordance with the management framework outlined in the MTWDMP.</p> <p>To reflect the most up-to-date information regarding the management of the waste water treatment and disposal facilities implemented during the operational phase, Revision 4 of the MTWDMP was prepared in 2014 to incorporate minor amendments made based on operating experience (including testing results) during the commissioning, proving and operations phases. Revision 4 of the plan was provided to the OEPA for information on 20 March 2014. Revision 4 remains in line with the management framework and revision process outlined in the approved Revision 3 of the plan, and DWER Operating Licence revision L8752/2013/2.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
757:M7.4 Deepwater Marine Outfall	<p>Action Make the MTWDMP required by condition 7-2 publicly available.</p> <p>How MTWMP to be made available in accordance with OEPA Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012.</p> <p>Objective To ensure the public is kept informed.</p> <p>Evidence Management Plan available on the Woodside website or upon request.</p>	Construction Construction	Minister for Environment	<p>C The MTWDMP (Rev 4) is publicly available on the Woodside website: https://www.woodside.com/what-we-do/australian-operations/pluto-lng/pluto-lng-environmental-compliance-reporting</p> <p>Any future revisions to the plan will also be published on the Woodside website.</p>
757:M7.5 Deepwater Marine Outfall	<p>Action Prior to submitting a Works Approval application for the waste water treatment plant 1. characterise in detail the physical and chemical composition and flow rates of all waste water streams within the site and, using the toxicity of mixtures principles, predict the theoretical toxicity of the combined waste water after treatment; 2. Determine, for all contaminants and nutrients, the total annual loads of contaminants and nutrients in the waste water discharge exiting the site; and 3. Determine, for normal and worst-case conditions, the concentrations of contaminants and nutrients (for agreed averaging periods) in the waste water discharge exiting the site.</p> <p>Objective To minimise the environmental impact associated with waste water discharge.</p> <p>Evidence Approval from DEC of MTWDMP.</p>	Design Prior to submitting a Works Approval application for the waste water treatment plant	Minister for Environment	<p>CLD These aspects were covered in the MTWDMP, which was approved by the DEC on 18 March 2009 (DEC reference: DEC 4776). OEPA approved the revised MTWDMP on 1 July 2011.</p>
757:M7.6 Deepwater Marine Outfall	<p>Action Prior to submitting a Works Approval application for the waste water treatment plant, demonstrate that the waste water discharge will meet "best practicable technology" and waste minimisation principles for contaminants and nutrients.</p> <p>How A review of current Best Environmental Practice (BEP) will be conducted to ensure that the most up to date technology is being utilised. This review will be outlined in the MTWDMP.</p> <p>Objective To demonstrate best practice in waste water treatment and discharge.</p> <p>Evidence Approval from DEC of MTWDMP, Works Approval granted from DEC.</p>	Design Prior to submitting a Works Approval Application for the waste water Treatment Plant.	Minister for Environment	<p>CLD These aspects were covered in the MTWDMP, which was approved by the DEC on 18 March 2009 (DEC reference: DEC 4776). OEPA approved the revised MTWDMP on 1 July 2011.</p>
757:M7.7:1 Deepwater Marine Outfall	<p>Action Prior to submitting a Works Approval application for the waste water treatment plant, design, and subsequently operate, plant and equipment on the site such that: 1. the</p>	Design	Director general of DWER	<p>CLD These aspects were covered in the MTWDMP, which was approved by the DEC on 18 March 2009 (DEC reference: DEC 4776). OEPA approved the revised MTWDMP on 1 July 2011.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 15 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>contaminant concentrations in the waste water effluent from the site, just prior to entry to the waste water discharge system, meet (in order of preference): the ANZECC/ARMCANZ (2000) 99% species protection level: or the ANZECC/ARMCANZ (2000) 99% species protection level at the edge of an approved mixing zone; 2. The concentrations of contaminants in the waste water effluent which can potentially bio-accumulate/bio-concentrate meet the ANZECC/ARMCANZ (2000) 80% species protection trigger levels just prior to entry into the waste water discharge system; and 3. Mass balances and inventories of toxicants can be maintained throughout the life of the plant so that their fate can be traced.</p> <p>How The proponent shall demonstrate that the proposed discharge meets the Ministerial Condition 7-7 via modelling. This will be outlined in the MTWDMP.</p> <p>Objective To minimise the environmental impact associated with waste water discharge.</p> <p>Evidence Approval from DEC of MTWDMP.</p>			
757:M7.7:2 Deepwater Marine Outfall	<p>Action Operate the waste water Treatment Plant such that: 1. the contaminant concentrations in the waste water effluent from the site, just prior to entry to the waste water discharge system, meet (in order of preference): the ANZECC/ARMCANZ (2000) 99% species protection level: or the ANZECC/ARMCANZ (2000) 99% species protection level at the edge of an approved mixing zone; 2. The concentrations of contaminants in the waste water effluent which can potentially bio-accumulate/bio-concentrate meet the ANZECC/ARMCANZ (2000) 80% species protection trigger levels just prior to entry into the waste water discharge system; and 3. Mass balances and inventories of toxicants can be maintained throughout the life of the plant so that their fate can be traced.</p> <p>Evidence Details in Appendix 1 of the ACR.</p>	Operation	DWER Compliance	<p>C Discharges to the MUBRL commenced in October 2011. Monitoring during start-up and commissioning and proving phase was conducted as detailed in Section 6.1 of Revision 4 of the MTWDMP.</p> <p>The MTWDMP (Ref 757:M7.2) outlines the operational monitoring, management framework, and contingency measures to meet the Environmental Quality Objectives defined by the Minister in Ministerial Statement 757.</p> <p>The MTWDMP was implemented under licensed operation during the reporting period. Monitoring and reporting were undertaken in accordance with the DWER Operating Licence revision L8752/2013/2.</p> <p>Please refer to Appendix 1 for the status of key management actions in the MTWDMP.</p>
757:M7.8 Compliance Reporting	<p>Action Within three months following commissioning and stabilising of plant operations, conduct an analysis of effluent properties and contaminant concentrations, to an analytical limit of reporting agreed by the Department of Environment and Conservation, demonstrating that they are substantially consistent with predictions.</p>	Operation Within three months following commissioning	Director general of DWER	<p>CLD Woodside provided the Pluto Effluent Treatment Plant (ETP) Commissioning Closeout Report to the DEC on 5 April 2013. The report was prepared in accordance with the reporting commitments outlined in Table 5.1 of the DEC approved Pluto LNG Project ETP Commissioning Plan (Commissioning Plan), and Section 7.1 of the Pluto LNG Project Treated Waste Water Marine Discharge Management Plan. Commissioning closeout reporting and Licence application supporting documentation informed the</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>How A Report will be prepared on the analysis of effluent properties and contaminant concentrations in consultation with DEC.</p> <p>Objective To demonstrate that Woodside waste water concentrations are substantially consistent with predictions.</p> <p>Evidence Effluent characterisation report.</p>			licensing process through the DER. The DWER Operating Licence L8752/2013/1 was issued 1 August 2013.
757:M7.9 Deepwater Marine Outfall	<p>Action Develop a Contingency Waste Water Management Plan which considers alternate options for waste water disposal in the event that the Environmental Quality Objectives are not met as determined through Whole Effluent Toxicity testing, diffuser performance monitoring or environmental quality monitoring, to the requirements of the Minister for the Environment.</p> <p>How Alternative waste management plan will be designed.</p> <p>Objective To anticipate impacts and manage those which are unforeseen.</p> <p>Evidence Contingency Waste Water Management Plan.</p>	Construction During Construction	Minister for Environment	<p>CLD The framework for the Contingency Waste Water Management Plan was included within the Marine Treated Waste Water Discharge Management Plan, which was approved by the DEC on 18 March 2009 (DEC reference: DEC 4776). Additional detail has been provided in the 2011 revision to the Marine Treated Waste Water Discharge Management Plan approved by the OEPA on 1 July 2011. Commissioning discharges and contingencies, prior to WET testing and subsequent effluent treatment plant Licensing, were covered under the effluent treatment plant commissioning plan required as a condition of Works Approval W4466/2008/1 and approved by DEC.</p> <p>Minor revisions to contingency measures have been provided in an update to the Treated Waste Water Management Plan. The update reflects on the most up to date information regarding the management of the waste water treatment and disposal facilities implemented during the operational phase, Revision 4 of the Treated Waste Water Management Plan was prepared to incorporate minor amendments made based on operating experience (including testing results) during the commissioning, proving and operations phases.</p>
757:M7.10 Deepwater Marine Outfall	<p>Action In the event that the treatment plant malfunctions or goes off-line, the proponent shall include within the Contingency Waste Water Management Plan required by condition 7-9 alternative options for waste water disposal to the timing and other requirements of the Minister for the Environment.</p> <p>How Practices will be changed to the methods of the Contingency Waste Water Management Plan.</p> <p>Objective Preparation for contingency events.</p> <p>Evidence Contingency Waste Water Management Plan.1,</p>	Construction During Construction	Minister for Environment	<p>CLD The Contingency Waste Water Management Plan forms part of the Marine Treated Waste Water Discharge Management Plan.</p>
757:M7.11 Deepwater Marine Outfall	<p>Action In the event that the Environmental Quality Objectives are not being met, the proponent shall implement the Contingency Waste Water Management Plan required by condition 7-9.</p> <p>How Action will be taken from Contingency Waste Water Management Plan.</p> <p>Objective Preparation for contingency events.</p>	Operation	Minister for Environment	<p>NR The Environmental Quality Objectives were met in accordance with the MTWDMP, and DWER Operating Licence revision L8752/2013/2 for the reporting period.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	Evidence Pluto LNG Project Ministerial Statement 757 Compliance Report - Report on alternate action to the DEC.			
757:M7.12 Deepwater Marine Outfall	Action Review and revise the Contingency Waste Water Management Plan required by condition 7-9, as and when directed by the CEO. Objective Preparation for contingency events. Evidence Revised Contingency Waste water Management Plan (if required).	Operation	DWER Compliance	NR No direction was received by Woodside to review and revise the Contingency Waste Water Management Plan in the reporting period.
757:M7.13 Deepwater Marine Outfall	Action Make any revisions of the Contingency Waste Water Management Plan, as required by condition 7-12, publicly available in a manner approved by the CEO. How Revisions of the Contingency Waste Water Management Plan to be made available in accordance with OEPA Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012. Objective To ensure that the public is kept informed. Evidence Management Plan available on the Woodside website or upon request.	Operation Ongoing	DWER Compliance	C The Contingency Waste Water Management Plan forms part of the MTWDMP and is publicly available on the Woodside website: https://www.woodside.com.au/our-business/pluto-lng/pluto-lng-environmental-compliance-reporting Any future revisions to the plan will also be published on the Woodside website.
757:M8.1 Marine Quarantine	Action Prior to commencement of dredging, prepare and implement a Marine Quarantine Management Plan, to the requirements of the Minister for the Environment. Objective To prevent marine pest introduction to the waters adjacent to the proposal. Evidence Marine Quarantine Management Plan developed in consultation with DoF and DEC.	Design Before dredging	Minister for Environment EPA	CLD The Marine Quarantine Management Plan for the Construction Phase was approved on 21 November 2007. This plan was implemented for all dredge vessels and dredging related vessels and equipment associated with the Pluto LNG Project during the dredging program, which ceased on 21 May 2010. Refer to 757:M8:3 for details of quarantine management during operations.
757:M8.2 Marine Quarantine	Action Within 48 hours following entry of dredging equipment and/or other vessels associated with dredging into the Port of Dampier, the proponent shall: 1. for vessels originating from Ports outside of State waters, arrange for an inspection and clearance by an appropriately qualified marine scientist; 2. for vessels originating from Ports within State waters, provide evidence of; a) the vessel being fully cleaned of fouling organisms and sediments immediately prior to departure for the Port of Dampier; or b) inspection of the vessel at the point of departure for the Port of Dampier immediately prior to departure; or c) a risk assessment based on the history of the vessel, its characteristics and use during the implementation	Construction	Minister for Environment Director general of DWER	CLD Condition is not applicable during the reporting period as dredging was completed in a previous reporting period, on 21 May 2010. ACR 2010 demonstrates that Woodside has conducted Marine Invasive Species Inspections in accordance with this condition.

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 18 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	of the proposal, to the requirements of the Minister for the Environment on advice of the Environmental Protection Authority. Objective To prevent marine pest introduction. Evidence See condition 8-4.			
757:M8.3 Marine Quarantine	Action Prior to commencement of operations develop and implement an appropriate protocol for inspection and clearance of vessels during the operational phase of the proposal. Objective To prevent marine pest introduction. Evidence An Invasive Marine Species Management Plan developed in consultation with and approved by DoF and DEC.	Prior to commencement of Operation	DWER Compliance	CLD for development of protocol, C for implementation Woodside manages marine quarantine during the operation of the Pluto LNG Project using Woodside's Invasive Marine Species Management Plan (IMSMP). Woodside submitted this plan to the DEC on 24 June 2010 with a revision submitted on 12 October 2011. A letter was received from the OEPA on 11 January 2012 approving the Woodside IMSMP and its implementation at the Pluto facilities. Implementation of the Invasive Marine Species Management Plan is ongoing. During the reporting period, no introductions of Invasive Marine Species (IMS) were identified.
757:M8.4 Compliance Reporting	Action Prior to the commencement of dredging, the proponent shall report to the Department of Environment and Conservation on the results of the inspection referred to in Condition 8-2. How Inspections of vessels originating from outside of State waters will be reported to DEC within 48h through the process specified in the Marine Quarantine Management Plan. Objective To prevent marine pest introduction. Evidence Inspection report.	Design Prior to commencement of dredging	DEC, Primary Industries and Regional Development, AQIS	CLD Please refer to 757:M8.2 and 2010 ACR.
757:M8.5 Marine Quarantine	Action Manage any sediment or fouling organisms found as a consequence of the inspection required by condition 8-2, to the timing and other requirements of the Minister for the Environment. How The Marine Pest Management Strategy (Contingency) specified in the Marine Quarantine Management Plan will be implemented in the event that a Marine Species of Concern is identified during an arrival inspection. Objective Minimise environmental impacts associated with potential marine pest introduction. Evidence Marine Pest Management Strategy specified in the Marine Quarantine Management Plan approved by DoF and DEC; Communication with DoF and DEC in the event a marine species of concern is identified. Infestation survey plans approved by DoF.	Construction	Minister for Environment, Primary Industries and Regional Development	CLD Please refer to 757:M8.2 and 2010 ACR.

*These reflect current regulatory organisation names and positions relevant to original positions

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
757:M8.6 Marine Quarantine	<p>Action If following the completion of dredging and disposal activities, the dredging equipment is to be transferred to another location within Western Australia's territorial waters, undertake an investigation employing an appropriately qualified marine scientist to identify the presence of/the potential for introduced marine pests, to the requirements of the Minister for the Environment.</p> <p>Objective To prevent pest contamination of other Australian Ports.</p> <p>Evidence If required, Investigation reports prepared by a suitably qualified marine scientist for all dredging related vessels and equipment that are to be transferred to another location within WA territorial waters.</p>	Construction	Minister for Environment, Primary Industries and Regional Development, AQIS	<p>CLD Please refer to 757:M8.2 and 2010 ACR.</p>
757:M8.7 Compliance Reporting	<p>Action In the event that any introduced marine pests are detected (see condition 8-5), the proponent shall put in place a Marine Pests Management Strategy to ensure that introduced marine pests are not transferred to other locations within Western Australia's territorial waters, to the requirements of the Minister for the Environment. Note: In the preparation of the report required by condition 8-4, and in the development of any actions required by conditions 8-4 to 8-6, the Environmental Protection Authority expects that advice of the following agencies will be obtained: Department of Fisheries; and Australian Quarantine Inspection Service.</p> <p>Objective Minimise environmental impacts associated with potential marine pest introduction to other locations in Western Australia's territorial waters.</p> <p>Evidence If required, Marine Pest Management Strategy specified in the Marine Quarantine Management Plan.</p>	Construction	Minister for Environment, AQIS	<p>CLD Please refer to 757:M8.2 and 2010 ACR.</p>
757:M8.8 Compliance Reporting	<p>Action For the life of the project, notify the Department of Environment and Conservation (DEC), the Department of Fisheries (DoF) and the Dampier Port Authority (DPA) of any non-indigenous species detected in the waters adjacent to the project within 24 hours following detection.</p> <p>Objective To keep DEC, DPA and DoF informed.</p>	Overall Within 24 hours of detection	DWER, DEC, DoF, DPA	<p>NR No new non-indigenous species have been detected in waters adjacent to the Project by Woodside to date.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>Evidence Notification reports of any non-indigenous species detected in waters adjacent to the project</p>			
757:M8.9:1 Marine Quarantine	<p>Action In the event that non-indigenous species introduced by the proponent are detected during dredging, the proponent shall take immediate action to prevent establishment and proliferation and shall take action to control and eradicate them to the requirements of the Minister for the Environment.</p> <p>Objective To prevent infestation of pest species.</p> <p>Evidence Immediate notifications to DoF, DEC and DPA; Report actions to prevent establishment and proliferation of non-indigenous species and action to control and eradicate them.</p>	Construction	Minister for Environment	<p>CLD No new non-indigenous species were detected during the dredging program. Dredging was completed on 21 May 2010.</p>
757:M8.9:2 Marine Quarantine	<p>Action In the event that non-indigenous species introduced by the proponent are detected during operation, the proponent shall take immediate action to prevent establishment and proliferation and shall take action to control and eradicate them to the requirements of the Minister for the Environment.</p> <p>Objective To prevent infestation of pest species.</p> <p>Evidence Immediate notifications to DoF, DEC and DPA. Report actions to prevent establishment and proliferation of non-indigenous species and action to control and eradicate them.</p>	Operation	Minister for Environment	<p>NR No new non-indigenous species have been detected in waters adjacent to the Project by Woodside to date.</p>
757:M9.1 Turtle Management and Monitoring	<p>Action Prepare a Turtle Management Plan.</p> <p>How This Plan shall: 1. identify project-related stressors, causes of environmental impacts and potential consequences for marine turtles (including impact of noise, vibration, light overspill and glow, vessel strike, and changes to coastal processes); and 2. Identify and demonstrate the effectiveness of proposed management measures to mitigate [as defined in Environmental Protection Authority Guidance Statement 9] project-related impacts and consequences for marine turtles.</p> <p>Objective To provide a management framework to enable the proponent to manage the project so as to detect and mitigate as necessary ["mitigate" as defined in Environmental Protection Authority Guidance Statement 9] any impact upon marine turtles from the project and to identify darkness strategies to reduce as far as possible lights or</p>	Design Prior to commencement of works	Minister for Environment DEC	<p>C The Sea Turtle Management Plan was originally approved on 7 November 2008 (DOC68526), along with the Environmental Specification Lighting revision (2 October 2008), which is included as part of the Sea Turtle Management Plan.</p> <p>The Plan was revised for the operations phase and was submitted on 1 August 2011 to the OEPA for approval. OEPA approval received 30 March 2012.</p> <p>Various updates have since been completed. The latest revision (12) of the Plan was submitted in August 2023.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	light glow interfering with nesting female turtles and hatchlings. Evidence Sea Turtle Management Plan.			
757:M9.2 Turtle Management and Monitoring	Action Implement the Turtle Management Plan required by condition 9-1. Objective To mitigate as necessary ["mitigate" as defined in Environmental Protection Authority Guidance Statement 9] any impact upon marine turtles from the project and to identify darkness strategies to reduce as far as possible lights or light glow interfering with nesting female turtles and hatchlings. Evidence Refer to Appendix 1 of the Annual Compliance Report.	Overall	DWER Compliance	C Woodside minimised light emissions while complying with health, security, and safety considerations, by implementing the Pluto Light Management Plan (LMP) during the reporting period. Consistency of activities with the LMP was verified by carrying out a lighting survey on 28 November 2023. The survey identified three low impact areas where light emissions could be reduced further. Work to reduce light intensity in these areas will be executed in 2024. Woodside continued to implement the seasonal sea turtle monitoring program during the 2022/2023 turtle nesting period. Records were maintained and submitted to the Department of Agriculture, Water and Environment (DAWE) on 24 April 2023. Please refer to Appendix 1 for the status of key management actions in the Sea Turtle Management Plan.
757:M9.3 Turtle Management and Monitoring	Action Make the Turtle Management Plan required by condition 9-1 publicly available in a manner approved by the CEO. How Turtle Management Plan to be made available in accordance with OEPA Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012. Objective To ensure public is kept informed. Evidence Management Plan available on the Woodside website or upon request.	Construction	Director general of DWER	C The latest approved version of the Sea Turtle Management Plan is publicly available on the Woodside website: https://www.woodside.com.au/our-business/pluto-lng/pluto-lng-environmental-compliance-reporting Any future revisions to the plan will be published on the Woodside website.
757:M9.4 Turtle Management and Monitoring	Action Review the Turtle Management Plan required by condition 9-1 annually to the requirements of the Minister for the Environment. Objective To minimise environmental impacts on turtles. Evidence Report outcomes of review in Annual Compliance Report.	Overall Annually	Minister for Environment	C The sixth revision of the STMP was developed with input from the Department of Biodiversity and Attractions and was approved by DWER on 6 September 2018. Various updates have since been completed. Revision 12 of the Plan was submitted to the OEPA in August 2023.
757:M9.5 Compliance Reporting	Action Report any mortality of marine turtles or other threatened or specially protected marine fauna to the Department of Environment and Conservation within 24 hours following observation. Objective To keep DEC informed on project progress and issues.	Overall Within 24 hours of an incident	DWER Compliance	C No mortality of marine turtles or other threatened or specially protected marine fauna occurred as a result of the Project in 2023.

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 22 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>Evidence Incident reports as per Appendix D of the STMP.</p>			
<p>757:M10.1 Indigenous Heritage</p>	<p>Action Prior to ground-disturbing activities, prepare, in liaison with the Department of Indigenous Affairs, and submit to the Department of Environment and Conservation, a Cultural Heritage Management Plan.</p> <p>How This Plan shall address: 1. the inclusion of cultural heritage awareness training in the workforce induction; 2. the signposting and fencing of nearby heritage sites to prevent unauthorised access; 3. the monitoring of ground-disturbing activities by an anthropologist/archaeologist and representatives of the Traditional Custodians; and 4. the retrieval and relocation of heritage material which lies within the disturbance footprint in consultation with the Traditional Custodians.</p> <p>Objective To minimise impact on cultural heritage.</p> <p>Evidence Cultural Heritage Management Plan. (CHMP) Correspondence seeking Department of Indigenous Affairs advice.</p>	<p>Design (Prior to ground-disturbing activities) Overall</p>	<p>DEC DIA</p>	<p>CLD Numerous versions of the Pluto Aboriginal Cultural Heritage Management Plan (CHMP) have been prepared to meet requirements throughout the various stages of the Project. Plans such as the <i>Aboriginal Cultural Heritage Management Plan - Pluto LNG Project Construction Phase</i>, <i>Cultural Heritage Management Plan – Industrial Site B</i> and <i>Cultural Heritage Management Plan - Industrial Site A Coastal Dunes</i> have now been superseded by the <i>Pluto LNG Aboriginal Cultural Heritage Management Plan - Commissioning and Operations Phase (XA0000AG1002)</i> issued 15 April 2012.</p> <p>The updated <i>Pluto LNG Aboriginal Cultural Heritage Management Plan - Commissioning and Operations Phase</i> was reviewed by Woodside in consultation with the Traditional Custodian groups and DIA. On 18 December 2012 a letter was received from the DIA (in response to submission of the updated CHMP and Section 18 Site B 2012 Report) stating that “the report meets the requirements of Condition 6 of the Ministers Consent issued on 26 February 2007 for Woodside’s Pluto LNG Project on Industrial Site B”. Condition 6 of the Consent requires a Cultural Heritage Management Plan.</p>
<p>757:M10.2 Indigenous Heritage</p>	<p>Action Implement the Cultural Heritage Management Plan required by Condition 10-1.</p> <p>How Implementation will take place through inductions and management of access to non-disturbance areas.</p> <p>Objective To prevent unnecessary impacts.</p> <p>Evidence Annual report to the DIA under Section 18 Permit for Site B, outlining if any site/object as been disturbed</p>	<p>Overall</p>	<p>DWER Compliance</p>	<p>C Under Condition 13 of the Minister for Indigenous Affairs’ consent under Section 18 of the <i>Aboriginal Heritage Act 1972 (WA)</i>, Woodside must report to the registrar on the extent to which works have impacted sites or objects located on the land. This commitment is also a requirement in the <i>Pluto LNG Aboriginal Cultural Heritage Management Plan - Commissioning and Operations Phase</i> (Section 7 ‘Background’), therefore annual reports under Section 18 consent to the Department of Planning, Lands and Heritage (DPLH) may be used to show effectiveness of implementation of the CHMP.</p> <p>On 28 November 2023, Woodside submitted to the DPLH the Site A and Site B 2023 Compliance Report, as required by Condition 13 of the Minister for Indigenous Affairs’ consent under Section 18 of the <i>Aboriginal Heritage Act 1972 (WA)</i>.</p>
<p>757:M10.3 Indigenous Heritage</p>	<p>Action Make the Cultural Heritage Management Plan required by condition 10-1 publicly available.</p> <p>How Cultural Heritage Management Plan to be made available in accordance with OEPA Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012.</p> <p>Objective To ensure that the public is kept informed.</p> <p>Evidence Management Plan available on the Woodside internet site or upon request.</p>	<p>Construction</p>	<p>DWER Compliance</p>	<p>C The Cultural Heritage Management Plan is publicly available on the Woodside website: https://www.woodside.com/docs/default-source/our-business---documents-and-files/pluto---documents-and-files/pluto-construction-phase-cultural-heritage-management-plan.pdf?sfvrsn=640af3c5_10</p> <p>Any future revisions to the plan will be published on the Woodside website.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
757:M11.1 Compliance Reporting	<p>Action Prior to submitting a Works Approval application for the plant, submit a detailed Front End Engineering Design Report demonstrating that the proposed works adopt best practice pollution control measures to minimise emissions from the plant.</p> <p>How This report shall: 1. set out the base emissions rates for major sources for the plant and the design emission targets; and 2. address normal operations, shut-down, start-up, and equipment failure conditions.</p> <p>Objective To ensure best practice is applied to minimising air emissions.</p> <p>Evidence Front End Engineering Design Report.</p>	Design Prior to submitting a Works Approval Application for the plant.	Minister for Environment EPA	<p>CLD Front End Engineering Design Report was submitted to DEC on 31 April 2008. This report demonstrated that the proposed works undertake the best practice pollution control measures, minimising emissions on the plan.</p> <p>A second Front End Engineering Design report demonstrating the adoption of best practice pollution control measures to minimise emissions from the proposed second train was approved by the Minister on 3 January 2020.</p>
757:M11.2 Air Emissions	<p>Action At least three months prior to commencement of operations prepare an Air Quality Management Plan.</p> <p>How This plan shall include: 1. cumulative air quality modelling which uses data from the Front End Engineering Design Report and includes emissions from approved industrial sources at Cape Preston and Barrow Island; 2. proposed targets and standards; 3. an emissions monitoring programme, which includes nitrogen compounds, butene, toluene, ethylene, xylene, ozone, acrylene and hydrogen sulphide emissions from the plant; 4. an ambient air monitoring programme and a nitrogen deposition monitoring programme; and 5. annual reporting.</p> <p>Evidence Air Quality Management Plan.</p>	Construction At least three months prior to the commencement of operations	Minister for Environment	<p>C The Air Quality Management Plan was submitted on 29 September 2010. The plan was approved by the OEPA on 10 October 2011 (EPA reference: A337424: OEPA2010/000682-1).</p> <p>Revision 4 of the Air Quality Management Plan was accepted by the OEPA on 2 April 2020. This update was to incorporate proposed activities associated with Pluto expansion.</p>
757:M11.3 Air emissions	<p>Action Implement the Air Quality Management Plan required by Condition 11-2.</p> <p>Objective To minimise environmental impacts associated with air emissions.</p> <p>Evidence Refer to Appendix 1 of the Annual Compliance Report.</p>	Operation	DWER Compliance	<p>C Implementation continued under licensed operation during the reporting period in accordance with the management framework outlined in the approved Air Quality Management Plan.</p> <p>Routine monitoring including stack emissions testing continued during the reporting period for the gas turbines and regenerative thermal oxidiser (RTO). Emissions monitoring results, smoke monitoring and RTO operation reporting to the DWER was undertaken in accordance with conditions outlined in the DWER Licence L8752/2013/2.</p> <p>Woodside has carried out ambient air monitoring since 2019 to further baseline understanding of ambient air quality in the Burrup Peninsula. The program is expected to further extend the historical dataset and complement air monitoring proposed under the State Murujuga Rock Art Strategy.</p> <p>The ambient air quality monitoring program continued throughout 2023. With the exception of ozone emissions caused primarily by bushfires, no substances exceeded National Environment Protection</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023										
				Measure (NEPM) standards during the 2023 monitoring period, and there were no exceedances of the NSW EPA trigger levels used for screening of short term hourly BTEX measurements. In regard to ozone measurements, there were 10 hours of exceedances of the 8-hour rolling average NEPM standard of 65 ppb at Dampier North, and 35 hours of exceedances at Karratha. These exceedances occurred on 9 October and 5 to 6 November 2023, and are most likely due to bushfires and / or controlled burning in the Pilbara region. As of 8 November 2023, the Department of Fire and Emergency Services were managing 60 fires throughout the Pilbara region, mostly concentrated to the western half ¹ . Bushfires are a source of the ozone precursors NO _x (NO and NO ₂) and VOCs. In sunny conditions, higher ozone concentrations can form from the precursors some distance from the original source, depending on winds. Please refer to Appendix 1 for the status of key management actions in the Air Quality Management Plan.										
757:M11.4 Air Emissions	<p>Action Make the Air Quality Management Plan required by condition 11-2 publicly available.</p> <p>How Air Quality Management Plan to be made available in accordance with OEPA Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012.</p> <p>Objective To keep public informed.</p> <p>Evidence Management Plan available on the Woodside internet site or upon request.</p>	Construction	DWER Compliance	<p>C</p> <p>The Air Quality Management Plan is publicly available on the Woodside website: https://www.woodside.com.au/our-business/pluto-lng/pluto-lng-environmental-compliance-reporting.</p> <p>Any future revisions to the plan will also be published on the Woodside website.</p>										
757 as amended by 1208:M12.1 Greenhouse Gas Abatement	<p>This condition was amended on 15 August 2023 by Ministerial Statement 1208.</p> <p>Action Take measures to ensure that the Net GHG Emissions do not exceed: (1) 7,350,000 tonnes of CO₂-e for the period between 1 January 2021 and 31 December 2025 or such higher amount (not exceeding an additional 500,000 tonnes CO₂-e) that the CEO considers is otherwise accounted for and regulated under a condition of an implementation agreement (if any) applying to the Karratha Gas Plant; (2) 13,560,000 tonnes of CO₂-e for the period between 1 January 2026 and 31 December 2029; (3) 14,350,000 tonnes of CO₂-e for the period between 1 January 2030 and 31 December 2034; (4) 13,325,000 tonnes of CO₂-e for the period between 1 January 2035 and 31 December 2039; and (5) 5,728,767 tonnes of CO₂-e for the period between 1 January 2040 and 30 April 2042.</p> <p>Objective</p>	Operations	Minister for Environment EPA	<p>NR</p> <p>The 2023 reporting year is within the 1 January 2021 to 31 December 2025 period. Performance against the limit for this period will be reported in the 2025 ACR and as per the requirements of Condition 12-11(1).</p> <p>Refer M12.10 for 2023 GHG emissions reporting.</p> <p>As at 15 August 2023, Condition 12 of Ministerial Statement 757 was amended (by application of Ministerial Statement 1208) to reference Pluto on-shore net GHG facility emissions, and associated exceedance limits applied over five yearly periods. Current tracking of performance for the period 2021-2025 is summarised in the table below. Note the previous Condition 12-2 and associated greenhouse gas offset package referenced reservoir CO₂ emissions.</p> <p><u>Pluto facility</u></p> <table border="1" data-bbox="1617 1486 2668 1745"> <thead> <tr> <th>Description</th> <th>Volume</th> </tr> </thead> <tbody> <tr> <td>Proposal GHG emissions between 1 January 2021 and 31 December 2023</td> <td>5.66 MtCO₂e</td> </tr> <tr> <td>Applicable Authorised Offsets (See Appendix 2)</td> <td>1.48 M units</td> </tr> <tr> <td>Net GHG Emissions between 1 January 2021 and 31 December 2023</td> <td>4.18 MtCO₂e</td> </tr> <tr> <td>Remaining allowable net GHG emissions to 31 December 2025 (against 7.35Mt limit)</td> <td>3.17 MtCO₂e</td> </tr> </tbody> </table>	Description	Volume	Proposal GHG emissions between 1 January 2021 and 31 December 2023	5.66 MtCO ₂ e	Applicable Authorised Offsets (See Appendix 2)	1.48 M units	Net GHG Emissions between 1 January 2021 and 31 December 2023	4.18 MtCO ₂ e	Remaining allowable net GHG emissions to 31 December 2025 (against 7.35Mt limit)	3.17 MtCO ₂ e
Description	Volume													
Proposal GHG emissions between 1 January 2021 and 31 December 2023	5.66 MtCO ₂ e													
Applicable Authorised Offsets (See Appendix 2)	1.48 M units													
Net GHG Emissions between 1 January 2021 and 31 December 2023	4.18 MtCO ₂ e													
Remaining allowable net GHG emissions to 31 December 2025 (against 7.35Mt limit)	3.17 MtCO ₂ e													

¹ “WA fire chief issues warning to residents, says bushfire season running ‘five to eight weeks’ ahead of schedule”, ABC News report, 8/11/23, <https://www.abc.net.au/news/2023-11-08/wa-bushfire-season-darren-klemm/103078748>.

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	Minimising net Greenhouse gas emissions. Evidence Quantified emissions data.			Consideration of Interconnector Emissions (Pluto to Karratha Gas Plant) - additional 500,000 tCO ₂ allowance Management of interconnector associated emissions at the Karratha Gas Plant (KGP), for the purpose of Condition 12-1(1), will be reconciled at the end of the 2021-2025 five-year period. Woodside’s intended application of the 500,000 t additional CO ₂ relates to the offsetting of reservoir CO ₂ emissions which occur at KGP from gas sent via Pluto through the Pluto-KGP interconnector, and ‘if they occur in the absence of these emissions being accounted for and regulated’ [MS1208] as a reservoir CO ₂ offset obligation at KGP (e.g. current draft Ministerial Conditions for the NWS Project Extension). This interpretation is aligned with correspondence and information provided during the S46 review and drafting of MS1208 (e.g. refer letter from Woodside to Shaun Meredith dated 8 February 2023, and comment on draft Condition 12-1(1)). The current status of reservoir emissions against the referenced additional 500,000 tonnes in condition 12.1(1) is currently 123,186 t CO ₂ . This is within the forecast emissions provided during the above-mentioned engagements and subsequent development of this condition.
757 as amended by 1208:M12.2 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action Implement the Pluto LNG Facility Greenhouse Gas Abatement Program (Rev 3a) dated June 2021 (Rev 3a GHG Abatement Program) until the CEO confirms in writing that a revision of that plan meets the requirements. Of conditions 12-3(1) to 12-3(5). Objective To minimise Greenhouse gas emissions. Evidence Rev 3a Greenhouse Gas Abatement Program.	Operations	Minister for Environment EPA	C The revised GHG Abatement Program (Rev 3a), accepted by the OEPA on 4 June 2021, details the design and operational aspects of the Project related to minimisation of the overall greenhouse footprint and was active during the 2023 reporting period. Please refer to Appendix 1 for the status of key management actions specified in the GHG Abatement Program.
757 as amended by 1208:M12.3 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action Prior to 31 December 2024, or such greater time approved in writing by the CEO, the proponent must revise in consultation with the Murujuga Key Stakeholders and submit to the CEO a revision of the Rev 3a Greenhouse Gas (GHG) Abatement Program that meets conditions 12-3(1) to 12-3(5). Objective Collaborative agreement of the GGAP content and commitments to reduce environmental impact. Evidence New revision of the GHG Abatement Program submitted prior to 31 December 2024.	Operations Prior to 31 December 2024	Minister for Environment EPA	NR Revision 3a of the GHG Abatement Program was in place and active for the 2023 reporting period. Revision of the GHG Abatement Program is currently underway including planned consultation with Murujuga Key Stakeholders. This revision is currently expected to be submitted to the CEO prior to 31 December 2024.

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
757 as amended by 1208:M12.4 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action Submit with the revised GHG Abatement Program required by condition 12-3, the dates and estimated Net GHG Emissions for the Environmental Commissioning of the Pluto LNG Train 2. Objective To provide an estimate of the net GHG Emissions. Evidence Revised GHG Abatement Program Submitted prior to 31 December 2024.	Pre train 2 commissioning Prior to 31 December 2024	Minister for Environment EPA	NR The revised GHG Abatement Program is currently expected to be submitted to the CEO prior to 31 December 2024.
757 as amended by 1208:M12.5 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action The proponent must not commence Environmental Commissioning of the Pluto LNG Development Train 2 until the CEO has confirmed in writing that the revision of the Rev 3a GHG Abatement Program required by condition 12-3 satisfies the requirements of condition 12-3(1) to 12-3(5) and 12-4. Objective To ensure the new revision and conditions of the GHG Abatement Program is in place before Train 2 commissioning. Evidence An approved revision of the GHG Abatement Program prior to Train 2 commissioning.	Pre Train 2 commissioning	Minister for Environment EPA	NR Commissioning of the Pluto LNG Development Train 2 is yet to occur. No commissioning activities were undertaken in the 2023 reporting year.
757 as amended by 1208:M12.6 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action The proponent: (1) May submit to the CEO a revision of the Confirmed Pluto LNG Facility Greenhouse Gas Abatement Program (GHG Abatement Program)	Operations	Minister for Environment EPA	C No revisions of the GHG Abatement Program were submitted in 2023.

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>prepared in consultation with the Murujuga Key Stakeholders at any time;</p> <p>(2) Must submit to the CEO a revision of the Confirmed GHG Abatement Program, prepared in consultation with the Murujuga Key Stakeholders:</p> <p>(a) if there is a material risk that condition 12-1 will not be complied, including but not limited to as a result of a change to the proposal;</p> <p>(b) with each consolidated report required under condition 12-10(1); and</p> <p>(c) as and when directed by the CEO.</p> <p>Objective Ensure Murujuga Key stakeholders are engaged.</p> <p>Evidence Submitted revision of the GHG Abatement Program prepared in consultation with Murujuga Key Stakeholders.</p>			
757 as amended by 1208:M12.7 Greenhouse Gas Abatement	<p>This condition was amended on 15 August 2023 by Ministerial Statement 1208.</p> <p>Action Any revision of the Confirmed GHG Abatement Program referred to condition 12-6 must meet the requirements of condition 12-3(1) to 12-3(5).</p> <p>Objective Ensure new GHG Abatement Program revisions meet the expected conditions.</p> <p>Evidence Submitted revision of the GHG Abatement Program.</p>	Operations	Minister for Environment EPA	C No revisions of the GHG Abatement Program were submitted in 2023.
757 as amended by 1208:M12.8 Greenhouse Gas Abatement	<p>This condition was amended on 15 August 2023 by Ministerial Statement 1208.</p> <p>Action Within one (1) month of receiving confirmation in writing from the CEO that a GHG Abatement Program submitted to the CEO under condition 12-3 or 12-6 satisfies conditions 12-3(1) to 12-3(5), the proponent must submit a separate summary of the relevant Confirmed GHG Abatement Program to the CEO, which must:</p>	Operations	Minister for Environment EPA	C Revision 3a of the GHG Abatement Program was in place during the 2023 reporting year. No revisions were proactively or required to be submitted in 2023. The approved Rev 3a GHG Abatement Program is publicly available on the Woodside website: https://www.woodside.com.au/our-business/pluto-lng/pluto-lng-environmental-compliance-reporting

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023																
	(1) include a summary of the matters specified in conditions 12-3(1) to 12-3(5); and (2) be published as required by condition 12-13(2). Objective Summary of the GHG Abatement Program is publicly available. Evidence Summary of the matters specified in conditions 12-3(1) to 12-3(5) submitted to the CEO and made publicly available.																			
757 as amended by 1208:M12.9 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action The proponent must implement the most recent version of the Confirmed GHG Abatement Program until the CEO has confirmed by notice in writing that it has been demonstrated that the Net GHG Emissions limits in condition 12-1 have been met. Objective To minimise environmental impacts associated with greenhouse gas emissions. Evidence Refer to Appendix 1 of the ACR.	Operations	Minister for Environment EPA	C The revised GHG Abatement Program (Rev 3a), accepted by the OEPA on 4 June 2021, details the design and operational aspects of the Project related to minimisation of the overall greenhouse footprint and was active during the reporting period. Please refer to Appendix 1 for the status of key management actions specified in the GHG Abatement Program.																
757 as amended by 1208:M12.10 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action The proponent must submit an annual report to the CEO and the Murujuga Key Stakeholders each year by 31 March, or such other date within that calendar year as is agreed in writing by the CEO to align with other reporting requirements for GHG, specifying for the previous calendar year: (1) the quantity of Proposal GHG Emissions; (2) the quantity of Reservoir Emissions; (3) the quantity of Non-Reservoir Emissions; (4) the Total Emissions Intensity, Reservoir Emissions Intensity and Non-Reservoir Emissions Intensity, including calculations and calculation methodology for each; and (5) the tonnes of LNG produced (loaded onto ships).	Operations	Minister for Environment EPA	C The 2023 greenhouse gas emissions performance as per reporting requirements (1)-(5) are outlined in the table below. Submission of this information to the CEO within this ACR is deemed to meet the reporting requirements of an annual report to the CEO as per this condition. Further, an email notification linking the ACR was sent to the CEO of the Murujuga Aboriginal Corporation at the same time of the submission of this ACR to the DWER CEO. This is also deemed to meet the requirements of an annual report to Murujuga Key Stakeholders as per this condition. <table border="1" data-bbox="1620 1493 2748 1759"> <thead> <tr> <th colspan="2">2023</th> </tr> </thead> <tbody> <tr> <td>Quantity of Proposal GHG Emissions</td> <td>1,749,850 t CO₂e</td> </tr> <tr> <td>Quantity of Reservoir Emissions</td> <td>296,523 t CO₂e</td> </tr> <tr> <td>Quantity of Non-Reservoir Emissions</td> <td>1,453,327 t CO₂e</td> </tr> <tr> <td>Total Emissions Intensity</td> <td>359.3 t CO₂e/kT</td> </tr> <tr> <td>Reservoir Emissions Intensity</td> <td>60.9 t CO₂e/kT</td> </tr> <tr> <td>Non-Reservoir Emissions Intensity</td> <td>298.4 t CO₂e/kT</td> </tr> <tr> <td>Tonnes of LNG produced (loaded onto ships and trucks)</td> <td>4,889,109 t</td> </tr> </tbody> </table> <p>1. The greenhouse emission estimate calculation methodology for this reporting is as per Appendix C of the Pluto GHG Abatement Program (Rev 3a), noting the following reporting</p>	2023		Quantity of Proposal GHG Emissions	1,749,850 t CO ₂ e	Quantity of Reservoir Emissions	296,523 t CO ₂ e	Quantity of Non-Reservoir Emissions	1,453,327 t CO ₂ e	Total Emissions Intensity	359.3 t CO ₂ e/kT	Reservoir Emissions Intensity	60.9 t CO ₂ e/kT	Non-Reservoir Emissions Intensity	298.4 t CO ₂ e/kT	Tonnes of LNG produced (loaded onto ships and trucks)	4,889,109 t
2023																				
Quantity of Proposal GHG Emissions	1,749,850 t CO ₂ e																			
Quantity of Reservoir Emissions	296,523 t CO ₂ e																			
Quantity of Non-Reservoir Emissions	1,453,327 t CO ₂ e																			
Total Emissions Intensity	359.3 t CO ₂ e/kT																			
Reservoir Emissions Intensity	60.9 t CO ₂ e/kT																			
Non-Reservoir Emissions Intensity	298.4 t CO ₂ e/kT																			
Tonnes of LNG produced (loaded onto ships and trucks)	4,889,109 t																			

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>Objective Share information relating to GHG emissions.</p> <p>Evidence Annual Compliance Report submitted to the CEO and Murujuga Key Stakeholders.</p>			assumptions: Emissions from the gas produced through the Pluto to Karratha Gas Plant interconnector pipeline are not included, as they are included in Karratha Gas Plant's emissions accounting. 2. Emissions Intensity calculation based on volume of LNG Shipped and Trucked in 2023.
757 as amended by 1208:M12.11 Greenhouse Gas Abatement	<p>This condition was amended on 15 August 2023 by Ministerial Statement 1208.</p> <p>Action The proponent must submit to the CEO and the Murujuga Key Stakeholders by 31 March 2026 or such other date within that calendar year as is agreed by the CEO in writing to align with other reporting requirements for GHG, and every five (5) years thereafter:</p> <p>(1) A consolidated report specifying: (a) for each of the periods specified in condition 12-1 that have lapsed, the matters referred to in condition 12-10(1) to 12-10(5); (b) for the period specified in condition 12-1 that ended on 31 December of the year before the report is due: i. the quantity of Proposal GHG Emissions, Reservoir Emissions and Non-Reservoir Emissions; ii. the Net GHG Emissions; iii. the type, quantity, identification or serial number, and date of retirement or cancellation of any Authorised Offsets which have been retired or cancelled and which have been used to offset Proposal GHG Emissions for the purposes of complying with condition 12-1, including written evidence of such retirement or cancellation; and iv. any measures that have been implemented to avoid or reduce Proposal GHG Emissions;</p> <p>(2) an audit and peer review report of the consolidated report required by condition 12-11(1), carried out by an independent person or independent persons with suitable technical expertise dealing with the suitability of the methodology used to determine the matters set out in the consolidated report, whether the consolidated report is accurate and whether the consolidated report is supported by credible evidence.</p>	Operations Prior to 31 March 2026	Minister for Environment EPA	<p>NR The consolidated report, audit and peer review report was not required in the 2023 reporting year.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	<p>Objective To share the performance of the GHG Abatement Program.</p> <p>Evidence Standalone report and audit report submitted to The CEO and Key Murujuga stakeholders by 31 March 2026.</p>			
757 as amended by 1208:M12.12 Greenhouse Gas Abatement	<p>This condition was amended on 15 August 2023 by Ministerial Statement 1208.</p> <p>Action A consolidated report referred to in Condition 12-11(1) must be accompanied by:</p> <p>(1) a revision of the Confirmed GHG Gas Abatement Program under condition 12-6(2)(b); and (2) a separate summary report, covering each of the periods specified in condition 12-1, and which includes: (a) a graphical comparison of Net GHG Emissions with the Net GHG Emissions limits detailed in condition 12-1; (b) proposal Total Emissions Intensity compared to comparable facilities; (c) a summary of any measures to avoid or reduce the Proposal GHG Emissions undertaken by the proponent; and (d) a clear statement as to whether limits for Net GHG Emissions set out in condition 12-1 have been met, and whether future Net GHG Emissions limits are likely to be met, including a description of any reasons why those limits have not been, and/or are unlikely to be met.</p> <p>* Note: Woodside is of the understanding that the reference to Condition 12-10(1) is an error in MS 1734, and that correct reference is Condition 12-11(1)</p> <p>Objective To communicate GHG abatement performance.</p> <p>Evidence New revision of the GHG abatement program and a summary report covering each period in condition 12-1.</p>	Operations Prior to 31 March 2026	Minister for Environment EPA	<p>NR Not required in the 2023 reporting year.</p> <p>Note that in preparing this ACR, Woodside identified that reference to Condition 12-10(1) within Condition 12-12 appears to be an error in the published MS 1208, as it refers to the required annual report and is not aligned to the referenced five-yearly emissions period and associated five-yearly requirement to revise the GHG Abatement Program. Woodside believes the correct reference should be Condition 12-11(1) and the applicable consolidated report required by that condition.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
757 as amended by 1208:M12.13 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action The proponent must make the Confirmed GHG Abatement Program, the summary of that program required by condition 12-8, and all reports required by condition 12 publicly available on the proponent’s website within the timeframes specified below for the life of the proposal, or in any other manner and for any other timeframe specified in writing by the CEO: (1) any Confirmed GHG Abatement Program, within two weeks of receiving written confirmation from the CEO that it satisfies the requirements of conditions 12-3(1) to 12-3(5); (2) the summary of any Confirmed Pluto LNG Facility Greenhouse Gas Abatement Program referred to in condition 12-8 and the reports referred to in conditions 12-10, 12-11 and 12-12 within two weeks of submitting the document to the CEO. Objective Relevant reports are publicly available. Evidence All reports publicly available on Woodside’s external website.	Operations	Minister for Environment EPA	C The approved Rev 3a GHG Abatement Program and all Annual Compliance Reports are publicly available on the Woodside website: https://www.woodside.com.au/our-business/pluto-lng/pluto-lng-environmental-compliance-reporting The reports required by 757:M12.11 and 757:M12.12 were not submitted in the 2023 reporting year.
757 as amended by 1208:M12.14 Greenhouse Gas Abatement	This condition was amended on 15 August 2023 by Ministerial Statement 1208. Action From the date of issue of Ministerial Statement 757 up to the 31 December 2020, the proponent must provide a greenhouse gas offset package which, as a minimum, offsets the reservoir carbon dioxide released to the atmosphere during that period, to the requirements of the CEO. Objective To minimise environmental impacts associated with greenhouse gas emissions. Evidence Retired offsets.	Operations	Minister for Environment EPA	C The proponent provided a greenhouse gas offset package which, as a minimum, offset the reservoir carbon dioxide released to the atmosphere during the period from the date of issue of MS 757 ending 31 December 2020, to the requirements of the CEO. Previous ACRs and communication with DWER in 2021* demonstrated compliance with this condition and the abatement of reservoir CO2 emissions with retirement of offsets up to 31 December 2020. *Letter to DWER dated 25 August 2021.

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
757:M13.1 Offsets	<p>Action Implement the offset package set out in Schedule 6 (Ministerial Statement 757) to the requirements of the Minister for the Environment on advice of the Department of Environment and Conservation.</p> <p>Objective To minimise environmental impacts associated with greenhouse gas emissions.</p> <p>Evidence Details contained in ACR.</p>	Overall Ongoing	Minister for Environment DEC	<p>CLD Schedule 6 specifies seven offset components. Status of each component is as follows:</p> <p>Offset A: Site A Management and Monitoring CLD - A revised <i>Site A Vegetation Management Plan</i> was submitted to the DEC for review and comment on 21 October 2011. The DEC responded on 6 February 2012 that '<i>the revised plan and proposed outcomes have been confirmed as satisfactory by the Department of Environment and Conservation's Pilbara Regional Leader Nature Conservation</i>'.</p> <p>The Site A Vegetation Management Plan is implemented, with weed management and flora survey activities undertaken during the reporting period.</p> <p>Offset B: Rehabilitation/Restoration Outside Lease CLD - A funding agreement was executed between Woodside and the Department of Parks and Wildlife (DPaW) on 16 October 2013, which included concurrence by the DER. The funding agreement supports DPaW's implementation of a program to rehabilitate and restore degraded areas on the Burrup Peninsula, with a focus on the Murujuga National Park and adjacent areas. Woodside received confirmation that it had completed its obligations under Offset B from the Office of the Environmental Protection Authority (OEPA) on 24 March 2014.</p> <p>Offset C: Taxonomic studies of 37 Flora spp CLD – Minister for Environment and Water has confirmed that Woodside has met its obligations and has satisfied the requirements for this Offset.</p> <p>Offset D: Research and Monitoring Dampier Archipelago Marine Park CLD– Minister for Environment and Water has confirmed that Woodside has met its obligations and has satisfied the requirements for this Offset.</p> <p>Offset E: Managing Dredging Impacts CLD – Minister for Environment and Water has confirmed that Woodside has met its obligations and has satisfied the requirements for this Offset.</p> <p>Offset F: Genetic Work to Resolve Taxonomic Uncertainties – <i>Rhagada Sp 12</i>. CLD – Minister for Environment and Water has confirmed that Woodside has met its obligations and has satisfied the requirements for this Offset.</p> <p>Offset G: Ethno-Botanical Study</p> <p>CLD A letter to the General Manager of the OEPA was sent on the 7 October 2011 to seek closure of this Offset. On 7 February 2012 the OEPA responded with a letter to confirm that the Burrup Peninsula Ethno-Botanical Study (December 2009) '<i>meets the requirements of Schedule 6, Offset G of Statement 757</i>'</p>
757:M14.1 Decommissioning	<p>Action Prepare a preliminary decommissioning plan for approval by the CEO, which describes the framework and strategies to ensure that the site is suitable for future land uses, and provides: 1. the rationale for the siting and design of plant and infrastructure as relevant to environmental protection; 2. a conceptual description of the final landform at closure; 3. a plan for a care and</p>	Design Prior to submitting a Works Approval application for the plant.	DEC	<p>CLD A revised preliminary decommissioning plan was submitted to the Office of the EPA on 8 January 2010 (PLU/GOV/00429) and subsequently approved on 1 February 2010 (DEC7069-02 - DOC 115002).</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 33 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

<ul style="list-style-type: none"> • Audit Code • Subject 	<ul style="list-style-type: none"> • What action must be taken • How action must be taken and/or objective of action • Objective • Evidence that action has been taken 	<ul style="list-style-type: none"> • Project phase • When action to be taken • Where it is to be taken 	<ul style="list-style-type: none"> • To requirements of • On advice from * 	Reporting period 1 January 2023 to 31 December 2023
	maintenance phase; and 4. initial plans for the management of noxious materials. <u>Objective</u> To outline a plan for decommissioning. <u>Evidence</u> Preliminary decommissioning plan.			
757:M14.2 Decommissioning	<u>Action</u> Submit a final decommissioning plan, for approval of the CEO. <u>How</u> The final decommissioning plan shall set out procedures and measures for: 1. removal or, if appropriate, retention of plant and infrastructure agreed in consultation with relevant stakeholders; 2. rehabilitation of all disturbed areas to a standard suitable for the agreed new land use(s); and 3. identification of contaminated areas, including provision of evidence of notification and proposed management measures to relevant statutory authorities. <u>Objective</u> To ensure that the site is suitable for future land uses. <u>Evidence</u> Final decommissioning plan.	Operation At least 6 months before the date of closure or at a time approved by the CEO	Director general of DWER	NR Final decommissioning plan shall be developed closer to decommissioning date.
757:M14.3 Decommissioning	<u>Action</u> Implement the final decommissioning plan required by condition 14-2 until such time as the Minister for the Environment determines, on advice of the CEO, that the proponent's decommissioning responsibilities have been fulfilled. <u>Objective</u> To fulfil decommissioning responsibilities <u>Evidence</u> Close-out report for the final decommissioning plan.	Closure Until such time as the Minister for Environment determines on advice of the CEO that the proponent's decommissioning responsibilities have been fulfilled.	Minister for Environment Director general of DWER	NR Final decommissioning plan shall be developed closer to decommissioning date.
757:M14.4 Decommissioning	<u>Action</u> Make the final decommissioning plan required by condition 14-2 publicly available in a manner approved by the CEO. <u>How</u> Final decommissioning plan to be made available in accordance with OEPA Post Assessment Guideline for Making Information Publicly Available (PAG 4) published August 2012. <u>Objective</u> To ensure the public is kept informed <u>Evidence</u> Plan available on the Woodside internet site or upon request.	Closure	Director general of DWER	NR Final decommissioning plan shall be developed closer to decommissioning date.

*These reflect current regulatory organisation names and positions relevant to original positions

APPENDIX 1 – PLUTO LNG MANAGEMENT PLAN KEY ACTIONS

The table below provides evidence of the status of key management actions contained within the Environmental Management Plans and programs required by Ministerial Statement 757.

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
Marine Treated Waste Water Discharge Management Plan (Condition 7- 2) (Rev 4, March 2014 - XA0000AH0029)		
Review Management Plan as required – triggers for review may include a significant change to the waste water system, results from WET testing and Water Corporation analysis, change in regulations, or at the request of the OEPA. Minor revisions may be undertaken to ensure the plan remains current. If changes are required to be made to the plan that are material to the risk presented by the operation of the facilities, a revised plan will be provided to the OEPA and DoE for approval. Approval will be obtained prior to implementation of the revised plan and the revised plan will be made publicly available to the prescribed requirements of the CEO of OEPA. Submit revised plan to OEPA and DoE for information or approval.	1.4	C In order for the plan to reflect the most up-to-date information regarding the management of the waste water treatment and disposal facilities during the operational phase, Woodside updated the Marine Treated Waste Water Discharge Management Plan during 2013/2014 (Revision 4). This version incorporates minor amendments made based on operating experience (including testing results) during the commissioning and proving phase. Revision 4 of the Plan was provided to the OEPA for information on 20 March 2014. Revision 4 remains in line with the management framework and revision process outlined in the approved Revision 3 of the Plan, and DWER Operating Licence revision L8752/2013/2.
Monitoring during start-up and commissioning of effluent treatment plant as detailed in the <i>Pluto LNG Project Effluent Treatment Plant Commissioning Plan, Woodside Doc. XA0000AR0875</i> approved by the DEC under Works Approval W4466/2008/1.	6.1	CLD Woodside provided the Pluto Effluent Treatment Plant (ETP) Commissioning Closeout Report XA0000RH8753228 to the DEC on 5 April 2013. The report was prepared in accordance with the reporting commitments outlined in Table 5.1 of the DEC approved Pluto LNG Project ETP Commissioning Plan (Commissioning Plan), and Section 7.1 of the Pluto LNG Project Marine Treated Waste Water Discharge Management Plan. Commissioning closeout reporting and Licence application supporting documentation informed the licencing process through the DER. The DWER Operating Licence L8752/2013/1 was issued 1 August 2013.
Ongoing monitoring of water quality as per Table 6.1 of the Management Plan, including installed analysers and field laboratory tests.	6.2	C Monitoring was undertaken in accordance with the Marine Treated Waste Water Discharge Management Plan and DWER Operating Licence L8752/2013/2. Monitoring data is included in DWER licence Annual Environment Report (AER). The 2022-23 Licence period AER was provided to DWER during the reporting period.
Amend table 6.1 if required, depending on results from Whole Effluent Toxicity (WET) testing. To be managed as part of Licensing process with DEC.	6.2	C WET testing was conducted during the reporting period and the results have not required further amendments to the MTWDMP Table 6.1.
Whole Effluent Toxicity (WET) testing to be carried out on treated water from final inspection tanks in accordance with ANZECC/ARMCANZ (2000). Initial WET test to be conducted within three months following commissioning & stabilisation of the ETP as per the <i>Pluto LNG Project Effluent Treatment Plant Commissioning Plan</i> . Ongoing WET testing within one month following the anniversary of the initial WET test, annually, or immediately (within two months) following any significant, sustained increase in the levels of contaminants of concern within treated waste water.	6.4	CLD for commissioning and stabilisation C for ongoing operations Woodside conducted annual WET testing for the reporting period in December 2023. In the absence of any significant increase in the levels of contaminants of concern within the treated waste water, there was no requirement for further testing to be undertaken within the reporting period.
Commissioning Compliance Report to be completed as part of an application for a Part V Licence under the <i>Environmental Protection Act 1986 (WA)</i> . Reporting will be in accordance with <i>Pluto LNG Project Effluent Treatment Plant Commissioning Plan</i> .	7.1	CLD Woodside provided the Pluto Effluent Treatment Plant (ETP) Commissioning Closeout Report XA0000RH8753228 to the DEC on 5 April 2013. Commissioning closeout reporting and Licence application supporting documentation informed the licencing process through the DER. The DWER Operating Licence L8752/2013/1 was issued 1 August 2013.
Operating performance data to be provided to DEC (Manager, Pilbara Region) within an Annual Licence Report.	7.1	C 2022-2023 Operating performance data was included in DWER Annual Environmental Licence Reporting. The 2022-2023 Licence period Annual Environment Report was submitted to DWER on 26 June 2023.
Notification of DEC where effluent is discharged to ocean from the MUBRL not in accordance with either the approved discharge specifications or the Contingency Waste Water Management Plan (detailed in Section 8).	7.3	NR Treated Effluent was discharged within approved discharge specifications. Implementation of the Contingency Waste Water Management Plan was not required during the reporting period.

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 35 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
Implement contingency management options in Section 8.1 of the Management Plan in the event that effluent in the final inspection tanks does not meet the approved discharge specification for whatever reason.	8.1	NR Implementation of the Contingency Waste Water Management Plan was not required during the reporting period.
Dredge Impact Management Plan (Condition 6-6)		
Coral Condition Assessments		
Refer to 2010 ACR for details.		CLD Dredging ceased on 21 May 2010. Results were presented in the ACR 2010.
Water Quality and Sediment Condition Assessments		
Refer to 2010 ACR for details.		CLD Dredging ceased on 21 May 2010. Results were presented in the ACR 2010.
BEP Techniques		
Refer to 2010 ACR for details.		CLD Dredging ceased on 21 May 2010. Results were presented in the ACR 2010.
Marine Quarantine Management Plan (Condition 8-1)		
Refer to 2010 ACR for details.		CLD Dredging ceased on 21 May 2010. Results were presented in the ACR 2010.
Sea Turtle Management Plan (Condition 9-2) (Rev 12, August 2023 – XB0005AH0006)		
OS 1 – Implementation of the Pluto Light Management Plan	Table 13	C Construction of design elements of the Operational Environmental Lighting Specification were completed during the 2012 reporting period following completion of plant construction. The 2023 annual turtle lighting survey was conducted to confirm consistency of activities with the Pluto Light Management Plan. Four opportunities to reduce light intensity and impact on Holden Beach were identified. These opportunities are tracked with work planned for the first half of 2024.
OS 2 – In the event of a hydrocarbon spill, management measures contained within the Nearshore Pipelines Oil Pollution Response Plan and Pluto Facilities Oil Spill Response Plan shall be implemented.	Table 13	NR There were no Pluto offshore/nearshore hydrocarbon spills to sea with the potential to impact on turtles and marine mammals during the reporting period
OS 3 – Access to Holden Beach is restricted to key personnel, including staff involved in monitoring programs, security, health and safety, environmental and cultural heritage staff.	Table 13	C Access to Holden Beach through the Woodside lease is protected by a fence which surrounds the Pluto LNG facilities and restricts access through locked and security controlled gates. Procedural controls are also in place to control access via the Heritage and disturbance footprint approval system (refer to the Cultural Heritage Management Plan for details). Access to the beach by sea is restricted by a Dampier Port Authority Boating Safety Exclusion Zone: https://www.pilbaraports.com.au/Port-of-Dampier/Community/Recreational-boating

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
OS 3 – No vehicle access is permitted on Holden Beach.	Table 13	<p>C</p> <p>Access to Holden Beach through the Woodside lease is protected by a fence which surrounds the Pluto LNG facilities and restricts access through locked and security controlled gates. Procedural controls are also in place via the Heritage and disturbance footprint approval system (refer to the Cultural Heritage Management Plan for details).</p> <p>To ensure access by key personnel only, a work permit system is also in place. Access to the beach by sea is restricted by a Dampier Port Authority Boating Safety Exclusion Zone: https://www.pilbaraports.com.au/Port-of-Dampier/Community/Recreational-boating</p>
OS 3 – All relevant personnel receive an induction regarding fauna interaction and sensitive habitat locations.	Table 13	<p>C</p> <p>A training pack is presented to key personnel who require access to Holden Beach.</p>
OS 4– Evaluate future timeframes of maintenance dredging to avoid coinciding with turtle nesting and breeding season. Refer to management plan for further actions regarding dredging and soil disposal.	Table 13	<p>NR</p> <p>No maintenance dredging or spoil disposal activities occurred during the reporting period.</p>
OS 5 - Operational flaring from the main Site B flare is minimised and kept to a level that is as low as reasonably practicable.	Table 13	<p>C</p> <p>Flaring is essential for safe operation of an LNG plant. Where possible Woodside aims to minimise flaring to a level that is as low as reasonably practicable.</p>
<p>OS 6 – Maintenance vessel activities (excluding LNG vessels, condensate tankers and tugs) comply with:</p> <ul style="list-style-type: none"> • EPBC Regulations 2000 – Part 8 Division 8.1 (Regulation 8.05 and 8.06) Interacting with cetaceans and Woodside’s Marine Charterers Instructions. 	Table 13	<p>C</p> <p>No breaches of the EPBC Regulations 2000 – Part 8 Division 8.1 were reported by vessels executing activities associated with Pluto LNG during the reporting period.</p>
<p>CS 1 - Onshore lighting / Temporary lighting for Construction - For the construction of Pluto Train 2, develop and implement a project specific Light Management Plan for Site A and Site B relevant to construction phases.</p> <p>Audits of lighting will be undertaken during construction against the project specific Light Management Plan.</p>	Table 14	<p>C</p> <p>The Pluto Train 2 Construction Light Management Plan was implemented throughout the 2023 reporting year. Regular lighting audits were undertaken by the construction contractor and Woodside to ensure all requirements were implemented.</p>
CS 2 – Onshore Hydrocarbon Spills - In the event of a hydrocarbon spill, management measures contained within the Pluto LNG Park Oil Pollution First Strike Plan shall be implemented.	Table 14	<p>NR</p> <p>No spills requiring the implementation of the Pluto LNG Park Oil Pollution First Strike Plan occurred during the 2023 reporting year.</p>
CS 3 - Access to Holden Beach is restricted to key personnel, including staff involved in monitoring programs, security, health and safety, environmental and cultural heritage staff.	Table 14	<p>C</p> <p>Throughout the 2023 reporting year access to Holden Beach was restricted to key personnel as outlined in CS 3.</p>
CS 4 – Vibration and noise - For the construction of Pluto train 2, Construction Contractor to develop Noise Management Plan which will implement management measures to control noise onsite.	Table 14	<p>C</p> <p>The construction contractor has implemented their Pluto Train 2 Construction Noise Management Plan throughout the 2023 reporting year.</p>
CS 5 - Temporary RO seawater unit (if activity occurs) - Minimise risk of injury/mortality to sea turtles and marine mammals from entrainment.	Table 14	<p>NR</p> <p>RO unit not operated in the 2023 reporting year.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 37 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
<p>Monitoring at Holden Beach –</p> <p>'Morning After' beach surveys are undertaken fortnightly from 1 September, until the first turtle activity is recorded. Following this, beach surveys are undertaken once per week. Weekly monitoring will continue until 1 March, or until the incubation period of the last potential nest has exceeded 70 days, or the nest has hatched, whichever is later.</p> <p>'Hatchling Emergence' monitoring frequency is conducted in line with 'Morning After' beach survey, until the last potential nest has hatched, or until incubation period of the last potential nest has exceeded 70 days.</p>	Table 15	<p>C</p> <p>Sea turtle monitoring at Holden Beach continued during the reporting period and monitoring logs were maintained to record activity.</p>
<p>Five yearly Audit by a specialist lighting consultant on the implementation of the Light Management Plan.</p>	Table 15	<p>C</p> <p>An audit of the Pluto LNG Plant lighting to confirm consistency of activities with the Pluto Light Management Plan and a survey of spectral characteristics, intensity, and sources of light spill visible from Holden Beach was undertaken by a specialist consultant in October 2022.</p>
<p>Reporting – Turtle observation data will be compiled by the Woodside Environmental Adviser and reports sent on a yearly basis in a Turtle Monitoring Report, within one month of the end of the turtle nesting season to the DBCA and DAWE.</p> <p>In the event of a turtle or marine mammal injury/death associated with Pluto LNG, it will be reported to the Woodside HSE advisor who will report the incident to DBCA and DAWE (refer to the Management Plan for details).</p>	6.1	<p>C</p> <p>The annual turtle observation data for the 2022/2023 nesting/hatching period was submitted on 24 April 2023. Monitoring results for the 2023/2024 nesting/hatching period will be provided following conclusion of the season.</p> <p>No Pluto Train 2 construction or operation incidents occurred involving injury or mortality of sea turtles or marine mammals.</p>
<p>Air Quality Management Plan (Condition 11-2) (Rev 4, December 2019 – X0000AH0002)</p>		
<p>Conduct Point Source Emissions Monitoring for NOx via stack testing on the mixed refrigerant compressor, propane compressor, gas turbines and Regenerative Thermal Oxidiser (RTO).</p>	7.1	<p>C</p> <p>Stack emissions testing for NOx was undertaken during the reporting period. In Q3 2023, a full suite of stack emissions tests was taken for the mixed refrigerant compressor, propane compressor, gas turbines and RTO.</p>
<p>For the first year of stable operations for Pluto Train 2, stack emissions testing will be undertaken quarterly. Following the first year, annual stack emission testing will align with that of existing operations and/or on an as needed basis to ensure ongoing confidence and verification to support operational surveillance monitoring.</p>	7.1	<p>NR</p> <p>Pluto Train 2 is yet to be constructed and therefore operations did not commence during the reporting period.</p>
<p>Report summarising results of point source emissions from stack sampling points stated within the AQMP to be provided to DWER as a part of the annual compliance reporting.</p>	7.1	<p>C</p> <p>Stack sampling results were provided to DWER in section 6.1 of the Annual Environmental Report as required by DWER Operating Licence L8752/2013/2, during the reporting period.</p>
<p>Any expected or actual dark smoke emissions of a shade Ringelmann 3 or greater emitted for a period of 30 minutes or more shall be reported to the DWER as soon as practicable, but no later than 5 pm of the next usual working day.</p>	7.2	<p>C</p> <p>Expected dark smoke events of shade Ringelmann 3 for greater than a period of 30 minutes or more were reported to DWER in the 2023 reporting year. These events are reported in section 6.1.2 of the Annual Environmental Report as required by DWER Operating Licence L8752/2013/2.</p> <p>There was no actual dark smoke events shade Ringelmann 3 for greater than a period of 30 minutes or more.</p>
<p>Actual and expected flare smoke emissions are reported as part of the Licence (L8752/2013/2) start-up and upset notifications, in case of any limit exceedances, and summarised in the AER.</p>	7.2	<p>C</p> <p>During the reporting period, expected or actual dark smoke more than target notifications were provided to DWER in the Quarterly Shutdown Reports and will be detailed in section 6.2 of the Annual Environmental Report as required by DWER Operating Licence L8752/2013/2.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 38 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
Woodside will notify DWER of thermal oxidiser outages in a quarterly shutdown report, in accordance with Operating Licence L8752/2013/2	7.3	<p>C</p> <p>RTO operation reporting to DWER was undertaken in accordance with arrangements outlined in the DWER Operating Licence L8752/2013/2. This consists of quarterly reports, which were submitted to the DWER throughout 2023.</p>
Implement the Pluto program of ambient air monitoring	8	<p>C</p> <p>In December 2014, Woodside proposed the cessation of monitoring of NOx and ozone associated with the Pluto LNG Development, and that the ambient air program prepared in accordance with MS757 Ambient Air Monitoring Condition 11-2, point 4 be confirmed as completed.</p> <p>Woodside has carried out ambient air monitoring since 2019 to further baseline understanding of ambient air quality in the Burrup Peninsula. The program is expected to further extend the historical dataset and complement air monitoring proposed under the State Murujuga Rock Art Strategy.</p> <p>The ambient air quality monitoring program continued in 2023. With the exception of ozone emissions caused primarily by bushfires, no substances exceeded National Environment Protection Measure (NEPM) standards during the 2023 monitoring period, and there were no exceedances of the NSW EPA trigger levels used for screening of short term hourly BTEX measurements.</p> <p>In regard to ozone measurements, there were 10 hours of exceedances of the 8-hour rolling average NEPM standard of 65 ppb at Dampier North, and 35 hours of exceedances at Karratha. These exceedances occurred on 9 October and 5 to 6 November 2023, and are most likely due to bushfires and / or controlled burning in the Pilbara region. As of 8 November 2023, the Department of Fire and Emergency Services were managing 60 fires throughout the Pilbara region, mostly concentrated to the western half². Bushfires are a source of the ozone precursors NOx (NO and NO₂) and VOCs. In sunny conditions, higher ozone concentrations can form from the precursors some distance from the original source, depending on winds.</p> <p>Refer to 757:M11.2 in Table 1 for further information.</p>
In order to ensure that the Pluto MS 757 ambient air monitoring program requirement is met, if the State Murujuga Rock Art Monitoring Program is not operational by Train 2 start-up, a 24-month program will be undertaken, followed by independent review.	8	<p>NR</p> <p>Pluto Train 2 is yet to be constructed and therefore did not start operations during the reporting period.</p>
Beyond the initial 24-month ambient program to meet MS 757 Condition 11-2(4) post Train 2 start-up, Woodside will continue to undertake annual objective-based ambient monitoring programs (with scope and objectives to be agreed with the EPA), or via appropriate support/contribution to the State Murujuga Rock Art Monitoring Program.	8	<p>NR</p> <p>Pluto Train 2 is yet to be constructed and therefore did not start operations during the reporting period.</p>
Should the State Murujuga Rock Art Strategy and proposed Murujuga nitrogen deposition monitoring program not be operational by Train 2 start-up, Woodside in consultation with relevant stakeholders would look to establish a 24-month Pluto Train 2 deposition program to ensure that the requirements of Pluto LNG MS 757 are met.	9	<p>NR</p> <p>Pluto Train 2 is yet to be constructed and therefore did not start operations during the reporting period.</p>

² "WA fire chief issues warning to residents, says bushfire season running 'five to eight weeks' ahead of schedule", ABC News report, 8/11/23, <https://www.abc.net.au/news/2023-11-08/wa-bushfire-season-darren-klemm/103078748>.

*These reflect current regulatory organisation names and positions relevant to original positions

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
Following the 24-month nitrogen deposition monitoring period a review of the data will be conducted.	9	<p>NR</p> <p>Independent peer review of the nitrogen deposition monitoring program was completed during 2014. Woodside provided reports to the OEPA on 30 December 2014 which included data analysis, reporting and independent review findings of the nitrogen deposition monitoring program.</p> <p>These documents demonstrate that risk assessments outlined in approvals documentation are consistent with measured results, and that any nitrogen deposition due to Pluto LNG emissions is insignificant. Woodside proposed the cessation of the monitoring program and that this component of the program prepared in accordance with MS757 Condition 11-2 point 4 be confirmed as Completed.</p> <p>Following submission of two third-party reports which reviewed the Air Quality Management Plan NO_x and ozone, and nitrogen deposition monitoring (submitted on 24 and 30 December 2014 respectively), the OEPA on 2 July 2015 endorsed a pause in this monitoring until such a time as OEPA requests that it be recommenced.</p>
Regular review of ongoing emissions monitoring and ambient air monitoring programs. Results will be compared with previously completed sampling in accordance with the AQMP and Operating Licence L8752/2013/2.	10	<p>C</p> <p>Reviews of operational monitoring results were undertaken and compared against previously completed sampling results. Stack sampling results and analysis was provided to the DWER in section 6.1 of the Annual Environment Report as required by DWER Operating Licence L8752/2013/2, during the reporting period.</p> <p>As outlined above, with the exception of ozone emissions caused primarily by bushfires, no substances exceeded National Environment Protection Measure (NEPM) standards during the 2023 monitoring period, and there were no exceedances of the NSW EPA trigger levels used for screening of short term hourly BTEX measurements.</p>
Greenhouse Gas Abatement Program (Condition 12-2) (Rev 3a, August 2021 – XA0005AH0010)		
<p>Woodside will continue to implement the ongoing GHG Improvement Plan described in Section 7.2, to achieve the following interim emission reduction targets by 2025:</p> <p>1. A 5% GHG intensity improvement, resulting in a cumulative carbon equivalent reduction of up to 250,000 t CO₂-e indicatively over the five years.</p> <p>2. Where sufficient GHG intensity improvements cannot be achieved onsite to reach this target, the shortfall will be voluntarily offset to achieve the equivalent carbon reduction from a 5% GHG intensity improvement. The resulting emissions reduction is shown in Figure 2 and is based on the forecast production rates.</p> <p>3. Offsetting 100% of reservoir CO₂ emissions equating to abatement of approximately 2 million tonnes of CO₂-e over the five years.</p>	2.1.4	<p>1, 2 – C</p> <p>For the 2023 reporting period, performance as a contribution to the five yearly interim emissions target progressed in accordance with these commitments. Intensity performance, together with progressive retirement of offsets means that net emissions remain on target to achieve a 5% reduction improvement.</p> <p>As per Condition 12-3, the GGAP is required to be revised by 31 December 2024 (or such greater time approved in writing by the CEO). It is contemplated that updates to the GGAP will align with Condition 12-1 and associated net GHG emissions limits, which will drive overall project emissions reduction. Given this, it is currently anticipated that requirements of Condition 12-1 will replace the current GGAP interim emissions reduction targets. Final performance against the 2025 interim target, MS1208 Condition 12-1 and retirement details will be provided in the 2021-2025 five yearly summary report as described in Section 9 of the GGAP.</p> <p>3 – C</p> <p>Refer M 12.10.</p> <p>As at 15 August 2023, Condition 12 of Ministerial Statement 757 was amended (by application of Ministerial Statement 1208) to reference Pluto on-shore net GHG facility emissions, and associated exceedance limits applied over five yearly periods, for the period 2021-2025. Note the previous Condition 12-2 and associated greenhouse gas offset package referenced reservoir CO₂ emissions.</p> <p>As a result of the amendment, the offsets specified in section A, Table 2 Appendix 2 are no longer applicable for the purposes of compliance with Condition 12 (as amended by MS1208), and the additional offsets specified in section B, Table 2 Appendix 2 of the table below are now applicable for the purposes of compliance with Condition 12 (as amended by MS1208).</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 40 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

Key Management Action	Source Ref/ Chap	Status/Evidence 2023												
<p>The Pluto ACR will provide a summary of the most recent NGERs reporting period, including:</p> <ul style="list-style-type: none"> • Total emissions (reservoir and non-reservoir emissions). • Total emission intensity and non-reservoir emission intensity. • Volume of gas processed at the facility. 	<p>2.1.5 and 9</p>	<p>C Data for the most recent 2023 calendar year, as aligned with the ACR reporting period is shown in the table below.</p> <table border="1" data-bbox="1768 384 2496 821"> <thead> <tr> <th></th> <th>2023 Calendar Year^</th> </tr> </thead> <tbody> <tr> <td>Total emissions t CO2-e (reservoir + non-reservoir)</td> <td>1,749,850</td> </tr> <tr> <td>Total emission intensity t CO2e/kt LNG</td> <td>359.3</td> </tr> <tr> <td>Emissions Intensity t CO2e/kt LNG (non-reservoir)</td> <td>298.4</td> </tr> <tr> <td>Gas produced (LNG) t LNG</td> <td>4,889,109</td> </tr> <tr> <td>Total Reservoir CO2</td> <td>296,523</td> </tr> </tbody> </table> <p>Emissions from the gas produced through the interconnector pipeline not included, this is included in in Karratha Gas Plants emissions accounting. ^Data includes six months of NGER FY2023 reporting period as well as interim H2 2023 as per ACR reporting period. Note 2H 2023 data incorporated into this total is subject to 2023/24 NGER assurance</p>		2023 Calendar Year^	Total emissions t CO2-e (reservoir + non-reservoir)	1,749,850	Total emission intensity t CO2e/kt LNG	359.3	Emissions Intensity t CO2e/kt LNG (non-reservoir)	298.4	Gas produced (LNG) t LNG	4,889,109	Total Reservoir CO2	296,523
	2023 Calendar Year^													
Total emissions t CO2-e (reservoir + non-reservoir)	1,749,850													
Total emission intensity t CO2e/kt LNG	359.3													
Emissions Intensity t CO2e/kt LNG (non-reservoir)	298.4													
Gas produced (LNG) t LNG	4,889,109													
Total Reservoir CO2	296,523													
<p>Reconciliation of reservoir emission volumes and the volume of retired Eligible Offset Units, for the purposes of Condition 12 of MS757, will occur on a five-yearly basis, as aligned with the revision period of the Pluto GGAP. Retirements will be detailed in the Pluto ACRs following the retirement date.</p>	<p>4.1</p>	<p>C Refer to M 12.11 and 12.14. See also evidence under 3-C above.</p>												
<p>Woodside will continue to report annual reservoir emission volumes and retired offset units (including serial numbers) in the Pluto ACRs, which are publicly available on Woodside’s website.</p>	<p>4.2.1</p>	<p>C Refer to 12.10 for information associated with retired offsets for the 2023 period. Serial numbers of retired offsets for this period are provided in Appendix 2 below.</p>												
<p>Where carbon offset units are purchased from existing projects to offset Pluto LNG Facility emissions, Woodside will only purchase Eligible Offset Units as defined in the Climate Active Carbon Neutral Standard for Organisations.</p>	<p>4.2.1</p>	<p>NR Offset units retired¹ to date² against Pluto’s Ministerial Statement 757 (as amended by MS 1208) have met the criteria for Eligible Offset Units as defined in the Climate Active Carbon Neutral Standard for Organisations at the time of each retirement.</p> <p>¹WEL and JV equity abatement ²Obligation up to and inclusive of 31 December 2023</p>												
<p>Periodic public reporting will also be undertaken as part of the five-yearly revisions of this GGAP, which will be supported with a summary report detailing information from the preceding five years, including:</p> <ul style="list-style-type: none"> • The quantity of total GHG emissions and net GHG emissions from the facility • The type, quantity, identification or serial number, and date of retirement or cancellation of any authorised offset which have been retired or cancelled and which have been used to calculate net GHG emissions • GHG emission reduction measures that have been implemented to avoid and reduce GHG emissions • A graphical comparison of emission reduction commitments with actual emissions for compliance periods • Performance against benchmarked facilities • GHG emissions intensity of the facility 	<p>9</p>	<p>NR</p>												

*These reflect current regulatory organisation names and positions relevant to original positions

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
<ul style="list-style-type: none"> A statement whether interim targets have been achieved 		
<p>Pluto ACRs, the approved revision of the Pluto GGAP and supporting summary report will be made publicly available on the Woodside website woodside.com.au</p>	9	<p>C Pluto LNG Annual Environmental Compliance Reports and other supporting documents are available on the Woodside website: Pluto LNG Environmental Compliance Reporting - Woodside Energy.</p>
<p>Calculation of the “greenhouse gas” emissions associated with the proposal as advised by the EPA.</p>	Table 11-1	<p>C The GGAP outlines how Pluto’s greenhouse gas emissions profile is determined (Section 3), benchmarking against other projects (Section 5) and sets out targets, monitoring, auditing, and reporting (Section 9). Annual reporting of emissions is performed in accordance with the National Greenhouse and Energy Reporting Act 2007 (NGER Act) and as summarised in Appendix C of the Pluto GHG Abatement Program (Rev 3a). A summary of reservoir emissions, non-reservoir emissions and associated Pluto LNG Facility emissions intensity is provided in this ACR as described in section 9 of the GGAP.</p>
<p>Specific measures to minimise the total net “greenhouse gas” emissions and/or the “greenhouse gas” emissions per unit of product associated with the proposal using a combination of 'no regrets' and 'beyond no regrets' measures.</p>	Table 11-1	<p>C Demonstrated in the current version of the GGAP (Section 5 and 6). Specific measures to minimise GHG emissions over the previous 5 years will be included in the subsequent Pluto GGAP revision and summary report as described in Section 9 of the GGAP.</p>
<p>The implementation and ongoing review of “greenhouse gas” offset strategies with such offsets to remain in place for the life of the proposal.</p>	Table 11-1	<p>C Retirement of all eligible offset units in relation to the Pluto LNG Facility will occur on a minimum five yearly basis as aligned with the revision period of the Pluto GGAP. In practice, retirement of eligible offset units in relation reservoir emissions will occur on a year-on-year basis and retirement of eligible offset units in relation GHG intensity improvements will occur on a minimum five yearly basis. Summary of retired Eligible Offset Units over the previous 5 years will be included in the subsequent Pluto GGAP and summary report, as described in section 9.</p>
<p>Estimation of the ‘greenhouse gas’ efficiency of the project (per unit of product and/or other agreed performance indicators) and comparison with the efficiencies of other comparable projects producing a similar product, both within Australia and overseas.</p>	Table 11-1	<p>C Demonstrated in the current version of the GGAP (Section 4.2).</p>
<p>Implementation of thermal efficiency design and operating goals consistent with the Australian Greenhouse Office Technical Efficiency Guidelines in design and operational management.</p>	Table 11-1	<p>C Demonstrated in the current version of the GGAP (Section 5).</p>
<p>Actions for the monitoring, regular auditing and annual reporting of GHG emissions and emission reduction strategies.</p>	Table 11-1	<p>C The GGAP outlines how Pluto’s greenhouse gas emissions profile is determined (Section 3), benchmarking against other projects (Section 5) and sets out targets, monitoring, auditing, and reporting (Section 9). Opportunities for mitigation and ongoing improvement are also identified in Section 7. Annual reporting of emissions is performed in accordance with the NGER Act and section 9 of the Pluto GGAP.</p>
<p>A target set by the Proponent for the progressive reduction of total net “greenhouse gas” emissions and/or “greenhouse gas” emissions per unit of product and as a percentage of total emissions over time and annual reporting of progress made in achieving this target. Consideration should be given to the use of renewable energy sources such as solar, wind or hydro.</p>	Table 11-1	<p>C Refer to M 12.01. The update to the GHG Management Program required under M12.3 will seek to incorporate the GHG limits set out in M 12.01. Reporting will be conducted as per M 12-10, 12-11 and 12-12.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 42 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

Key Management Action	Source Ref/ Chap	Status/Evidence 2023
A program to achieve reduction in “greenhouse gas” emissions consistent with the target referred to in (7) above.	Table 11-1	<p>C Optimisation and opportunity management processes are implemented to identify and prioritise enhancement opportunities including improving energy efficiency, reducing fuel use and intensity and minimising flaring.</p> <p>Identified opportunities are tracked in the relevant optimisation reference plan. A summary of delivered opportunities will be presented in the 2021-2025 five yearly summary report as described in section 9 of the GGAP.</p>
Entry whether on a project - specific basis, company-wide arrangement or within an industrial grouping as appropriate, in the Commonwealth governments" Greenhouse Challenge" voluntary cooperative agreement program.	Table 11-1	<p>CLD Woodside was a member of the Greenhouse Challenge up until the cessation of the program in July 2009.</p>
Review of practices and available technology.	Table 11-1	<p>C Demonstrated in the current version of the GGAP (Section 6).</p> <p>Optimisation and opportunity management processes are implemented to identify and prioritise enhancement opportunities including improving energy efficiency, reducing fuel use and intensity and minimising flaring.</p> <p>Identified opportunities tracked in the relevant optimisation reference plan. A summary of delivered opportunities will be presented in the five yearly summary report as described in section 9.</p>
Continuous improvement approach so that advance in technology and potential operational improvements of plant performance are adopted.	Table 11-1	<p>C Optimisation and opportunity management processes are implemented to identify and prioritise enhancement opportunities including improving energy efficiency, reducing fuel use and intensity and minimising flaring.</p>
Woodside Energy Limited Invasive Marine Species Management Plan (Condition 8-3) (Rev 7, June 2018 – A3000AH4345570)		
Risk Assessment Process detailed in Section 4 of the Management Plan is to be applied to all vessels, rigs and immersible equipment under Woodside contract that plan to enter and operate within the identified Invasive Marine Species Management Area (IMSMA), other than those exceptions identified in Section 1.4 of the Management Plan.	4	<p>C The Invasive Marine Species Management Plan is implemented for Pluto vessel operations, including provision of Tankers and Carrier Guidelines during vessel contracting processes. Where required by the plan, risk assessments, Vessel Risk Assessment Score Sheet (VRASS) are carried out for support vessels to prevent the introduction of invasive species.</p>
Ensure that management options following the risk assessment process comply with Section 5.1 of the Management Plan	5	<p>C Management options implemented following the risk assessment process may for example include information confirmation, application of the limit of three entrants into the IMSMA, treatment of vessel internal seawater systems, or inspection.</p>
Preliminary Decommissioning Plan		
Ensure a preliminary decommissioning plan is approved, in accordance with the requirements of condition 14-1.		<p>CLD A revised preliminary decommissioning plan was submitted to DEC for approval on 8 January 2010 and was approved on 1 February 2010.</p>
Final Decommissioning Plan		
Not applicable at this stage. The final decommissioning plan will be developed closer to decommissioning date. Key actions to satisfy this commitment will be identified once the plan has been approved.		<p>NR Not required during the 2023 reporting period.</p>

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

Woodside ID: [ENVPROD-1907123793-20280](#)

Revision: 0

Page 43 of 47

Uncontrolled when printed. Refer to electronic version for most up to date information.

APPENDIX 2 – CARBON CREDITS RETIRED FOR THE PERIOD 1 JANUARY 2021 TO 31 DECEMBER 2025

Table 1: Carbon Credits retired for the period 1 January 2021 to 31 December 2025 (Post MS1208)

Quantity	Project ID	Project Name	Vintage	Serial Number	Retirement Date
2021 Compliance Period, Retirement Period 2022					
<i>Retirements = 315,843 units</i>					
72,261	1,477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243294703-243366963-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	3/02/2022
4,795	1,819	19.2 MWp Solar Power Project by HZL at Debari and Dariba, Rajasthan	25/03/2017-31/12/2017	7385-391219330-391224124-VCU-034-APX-IN-1-1819-25032017-31122017-0	3/02/2022
22,697	1,819	19.2 MWp Solar Power Project by HZL at Debari and Dariba, Rajasthan	01/01/2018-01/12/2018	7386-391224125-391246821-VCU-034-APX-IN-1-1819-01012018-01122018-0	3/02/2022
63,000	1,353	Bundled Wind Power Project in Tamilnadu, India, co-ordinated by Tamilnadu Spinning Mills Association (TASMA-V2)	01/01/2017-31/12/2017	9064-64731020-64794019-VCS-VCU-508-VER-IN-1-1353-01012017-31122017-0	3/02/2022
39,627	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9032-62499920-62539546-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	3/02/2022
3,055	1,819	19.2 MWp Solar Power Project by HZL at Debari and Dariba, Rajasthan	01/01/2018-01/12/2018	7386-391246822-391249876-VCU-034-APX-IN-1-1819-01012018-01122018-0	8/02/2022
7,000	1,353	Bundled Wind Power Project in Tamilnadu, India, co-ordinated by Tamilnadu Spinning Mills Association (TASMA-V2)	01/01/2017-31/12/2017	9064-64794020-64801019-VCS-VCU-508-VER-IN-1-1353-01012017-31122017-0	8/02/2022
4,403	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9032-62539648-62544050-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	8/02/2022
8,029	1,477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243376210-243384238-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	8/02/2022
681	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2016	GS1-1-CN-GS605-15-2016-20917-76-756	3/02/2022
40,698	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-5007-45704	3/02/2022
4,597	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-45705-50301	3/02/2022
139	5660	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 004	2018	GS1-1-MM-GS5660-16-2018-6891-3-141	3/02/2022
823	5661	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 005	2018	GS1-1-MM-GS5661-16-2018-6894-17-839	3/02/2022
2,690	5661	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 005	2018	GS1-1-MM-GS5661-16-2018-18871-55-2744	3/02/2022
4,942	5662	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 006	2018	GS1-1-MM-GS5662-16-2018-18969-101-5042	3/02/2022
45	6129	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 007	2018	GS1-1-MM-GS6129-16-2018-7306-1-45	3/02/2022
3,919	6129	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 007	2018	GS1-1-MM-GS6129-16-2018-19096-80-3998	3/02/2022
4,500	6129	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 007	2018	GS1-1-MM-GS6129-16-2018-7306-46-4545	3/02/2022
127	6338	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 008	2018	GS1-1-MM-GS6338-16-2018-19668-13-139	3/02/2022
7,998	6338	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 008	2018	GS1-1-MM-GS6338-16-2018-18743-1-7998	3/02/2022
7,907	6599	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 009	2018	GS1-1-MM-GS6599-16-2018-18814-1-7907	3/02/2022
6,535	6600	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 010	2018	GS1-1-MM-GS6600-16-2018-18938-1-6535	3/02/2022
4,109	6861	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 011	2018	GS1-1-MM-GS6861-16-2018-19366-1-4109	3/02/2022
1,266	7343	GS1729 - Myanmar Stoves Campaign - Soneva in Myanmar - VPA No. 012	2018	GS1-1-MM-GS7343-16-2018-19670-1-1266	3/02/2022
2022 Compliance Period, Retirement Period 2023					
<i>Retirements = 425,407 units</i>					
24,724	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-116646-141438	22/02/2023
50,532	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-66114-116645	22/02/2023
2,807	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-53109-55915	22/02/2023
2,807	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-50302-53108	22/02/2023
71,999	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243574051-243646251-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	21/02/2023
33,335	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9146-70709817-70743245-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	21/02/2023
147,151	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243410550-243557700-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	21/02/2023
29,421	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9146-70672826-70702246-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	21/02/2023
38,711	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9032-62544051-62582761-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	21/02/2023
8,175	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243565876-243574050-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	21/02/2023
3,785	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9146-70706032-70709816-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	21/02/2023
8,175	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243557701-243565875-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	21/02/2023
3,785	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9146-70702247-70706031-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	21/02/2023
2023 Compliance Period, Retirement Period 2024					
<i>Retirements = 742,944 units</i>					
1,509	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2018	GS1-1-CN-GS605-15-2018-20919-106629-108137	13/02/2024
1,509	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2018	GS1-1-CN-GS605-15-2018-20919-105120-106628	13/02/2024

*These reflect current regulatory organisation names and positions relevant to original positions

This document is protected by copyright. No part of this document may be reproduced, adapted, transmitted, or stored in any form by any process (electronic or otherwise) without the specific written consent of Woodside. All rights are reserved.

27,157	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2018	GS1-1-CN-GS605-15-2018-20919-77963-105119	13/02/2024
225	4210	WithOneSeed Timor Leste Community Forestry Program	2018	GS1-1-TL-GS4210-21-2018-19055-8572-8796	13/02/2024
225	4210	WithOneSeed Timor Leste Community Forestry Program	2018	GS1-1-TL-GS4210-21-2018-19055-8347-8571	13/02/2024
4,050	4210	WithOneSeed Timor Leste Community Forestry Program	2018	GS1-1-TL-GS4210-21-2018-19055-4297-8346	13/02/2024
514	1890	Grid Connected Solar Energy Project	01/01/2018-31/12/2018	7594-409684179-409684692-VCU-034-APX-IN-1-1890-01012018-31122018-0	14/02/2024
2,712	1890	Grid Connected Solar Energy Project	01/01/2019-31/03/2019	7913-439568156-439570867-VCU-034-APX-IN-1-1890-01012019-31032019-0	14/02/2024
781	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457212584-457213364-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
2,041	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457098819-457100859-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
1,616	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457058424-457060039-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
2,135	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2018-31/12/2018	8103-457025595-457027729-VCU-034-APX-CN-1-903-01012018-31122018-0	14/02/2024
894	1890	Grid Connected Solar Energy Project	01/04/2019-31/12/2019	8666-38197143-38198036-VCS-VCU-997-VER-IN-1-1890-01042019-31122019-0	14/02/2024
23,998	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-244270705-244294702-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	14/02/2024
514	1890	Grid Connected Solar Energy Project	01/01/2018-31/12/2018	7594-409683665-409684178-VCU-034-APX-IN-1-1890-01012018-31122018-0	14/02/2024
2,712	1890	Grid Connected Solar Energy Project	01/01/2019-31/03/2019	7913-439565444-439568155-VCU-034-APX-IN-1-1890-01012019-31032019-0	14/02/2024
781	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457211803-457212583-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
2,041	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457096778-457098818-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
1,616	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457056808-457058423-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
2,135	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2018-31/12/2018	8103-457023460-457025594-VCU-034-APX-CN-1-903-01012018-31122018-0	14/02/2024
894	1890	Grid Connected Solar Energy Project	01/04/2019-31/12/2019	8666-38196249-38197142-VCS-VCU-997-VER-IN-1-1890-01042019-31122019-0	14/02/2024
23,998	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-244246707-244270704-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	14/02/2024
431,956	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243814751-244246706-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	14/02/2024
1	1890	Grid Connected Solar Energy Project	01/01/2018-31/12/2018	7594-409674413-409674413-VCU-034-APX-IN-1-1890-01012018-31122018-0	14/02/2024
9,251	1890	Grid Connected Solar Energy Project	01/01/2018-31/12/2018	7594-409674414-409683664-VCU-034-APX-IN-1-1890-01012018-31122018-0	14/02/2024
16,095	1890	Grid Connected Solar Energy Project	01/04/2019-31/12/2019	8666-38180154-38196248-VCS-VCU-997-VER-IN-1-1890-01042019-31122019-0	14/02/2024
48,814	1890	Grid Connected Solar Energy Project	01/01/2019-31/03/2019	7913-439516630-439565443-VCU-034-APX-IN-1-1890-01012019-31032019-0	14/02/2024
36,738	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457060040-457096777-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
29,078	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457027730-457056807-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
14,073	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2019-31/12/2019	8104-457197730-457211802-VCU-034-APX-CN-1-903-01012019-31122019-0	14/02/2024
38,430	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project	01/01/2018-31/12/2018	8103-456985030-457023459-VCU-034-APX-CN-1-903-01012018-31122018-0	14/02/2024
7,226	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project 4	01/01/2019-31/12/2019	8104-457213365-457220590-VCU-034-APX-CN-1-903-01012019-31122019-0	19/03/2024
7,226	903	Hebei Guyuan County Dongxinying 199.5 MW Wind Power Project 4	01/01/2019-31/12/2019	8104-457220591-457227816-VCU-034-APX-CN-1-903-01012019-31122019-0	19/03/2024
Total Retired to date for Compliance Period Monitoring 2021 - 2023 (retirements in 2022 – 2024)				1,484,194	

*These reflect current regulatory organisation names and positions relevant to original positions

Table 2: Changes to 2022 ACR report resulting from MS1208

#	Amendment	Offset details					
		Quantity	Project ID	Project Name	Vintage	Serial Number	Retirement Date
A	Reservoir emissions offsets referenced in 2022 ACR under MS757 (associated with Pluto interconnector) – now excluded Retirements = 53,644 units	10,198	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-55916-66113	22/02/2023
		26,311	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243384239-243410549-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	21/02/2023
		13,750	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9146-70659076-70672825-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	21/02/2023
		3,385	1987	Genneia Wind Projects in Argentina	12/11/2018-31/12/2018	11452-331383539-331386923-VCS-VCU-1323-VER-AR-1-1987-12112018-31122018-1	21/02/2023
B	Pluto on-shore facility emissions offsets not referenced in 2022 ACR under MS1208 - now included Retirements = 130,058 units	24,724	605	Antai Group Waste Gas Recovery for Power Generation Project (300303)	2017	GS1-1-CN-GS605-15-2017-20918-116646-141438	22/02/2023
		71,999	1477	Katingan Peatland Restoration and Conservation Project	01/01/2018-31/12/2018	10717-243574051-243646251-VCS-VCU-263-VER-ID-14-1477-01012018-31122018-1	21/02/2023
		33,335	786	Hyundai Steel Waste Energy Cogeneration Project	01/01/2017-30/06/2017	9146-70709817-70743245-VCS-VCU-260-VER-KR-1-786-01012017-30062017-0	21/02/2023

*These reflect current regulatory organisation names and positions relevant to original positions